KERDI by Schluter Systems

Health Product Declaration v2.3 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 901881240576

CLASSIFICATION: 07 10 00 Dampproofing and Waterproofing

PRODUCT DESCRIPTION: Schluter®-KERDI and KERDI-DS are pliable sheet-applied waterproofing membranes and vapor-retarders designed for the direct application of tile. KERDI is ideal for use in tiled showers, bathtub surrounds, residential steam showers, and other tile applications in wet areas. KERDI-DS is a bonded waterproofing membrane with very low water vapor permeance for use in continuous-use steam rooms and similar applications. This HPD covers the following products: KERDI 200/5M, KERDI 200/7M, KERDI 200/10M, KERDI 200/20M, KERDI 200, KERDI 200200/15M, KERDI 200/7M, KERDI 200/20M, 200200, and KERDI-DS.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods. Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

KERDI [ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENE LT-UNK POLYPROPYLENE LT-UNK POLYETHYLENE LT-UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM PHOSPHOROUS TRICHLORIDE, REACTION PRODUCTS WITH 1,1'-BIPHENYL AND 2,4-BIS(1,1-METHYLETHYL)PHENOL LT-UNK BENZENEPROPANOIC ACID, 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXY-, 2,2-BIS[[3-[3,5-BIS(1,1-DIMETHYLETHYL) -4-HYDROXYPHENYL]-1-OXOPROPOXY]METHYL]-1,3-PROPANEDIYL ESTER LT-UNK AMINES, BIS(HYDROGENATED TALLOW ALKYL), OXIDIZED LT-UNK PHENOL, 2,4-BIS(1,1-DIMETHYLETHYL)-, PHOSPHITE (3:1) LT-UNK CERIUM OXIDE (CEO2) BM-1 | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was created using supplierprovided data in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes O No

PREPARER: Self-Prepared VERIFIER: WAP Sustainability Consulting

VERIFICATION #: zPr-21491

SCREENING DATE: 2024-06-04 PUBLISHED DATE: 2024-06-13 EXPIRY DATE: 2027-06-04

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

KERDI

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were collected from suppliers and those that fall above the stated threshold are included.

OTHER PRODUCT NOTES:

ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENE

ID: 24937-78-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2024-06-04 7:04:11
%: 60.0000 - 80.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYPROPYLENE				ID: 9003-07-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2024-06-04 7:04:12
%: 30.0000 - 50.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	o warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	DN
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYETHYLENE ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-06-04 7:04:12

%: 1.0000 - 5.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	orary	HAZARD SCF	REENING DATE: 2024-06-04 7:04:13
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Car	rcinogens	Occupational Carcino	gen
CAN	CA EPA - Prop 65		Carcinogen - specific	to chemical form or exposure route
CAN	IARC		Group 2B - Possibly c from occupational sou	arcinogenic to humans - inhaled
CAN	MAK			- Evidence of carcinogenic effects stablish MAK/BAT value
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrine D	isruptor
CAN	MAK		Carcinogen Group 4 - risk under MAK/BAT le	Non-genotoxic carcinogen with low evels
CAN	IARC		Group 2b - Possibly ca	arcinogenic to humans
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected of c Category 2]	causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected of c Category 2]	causing cancer [Carcinogenicity -
MAM	GHS - Japan		•	ge to organs through prolonged or pecific target organs/systemic toxicity posure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EPA)	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Form-Specific Hazard: Titanium dioxide's GreenScreen Benchmark score and hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS) offers occupational health and safety information.

PHOSPHOROUS TRICHLORIDE, REACTION PRODUCTS WITH 1,1'-BIPHENYL AND 2,4-BIS(1,1-METHYLETHYL)PHENOL

ID: 119345-01-6

haros Chemical and Materials Library	у	HAZARD	SCREENING DATE: 2024-06-04 7:04:13
GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
LIST NAME AND SOURCE		WARNINGS	
		No war	rnings found on HPD Priority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION	
		No	o listings found on Additional Hazard Lists
	GreenScreen: LT-UNK LIST NAME AND SOURCE	GreenScreen: LT-UNK RC: None LIST NAME AND SOURCE	GreenScreen: LT-UNK RC: None NANO: No LIST NAME AND SOURCE WARNINGS No was LIST NAME AND SOURCE NOTIFICATION

BENZENEPROPANOIC ACID, 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXY-, 2,2-BIS[[3-[3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL]-1-OXOPROPOXY]METHYL]-1,3-PROPANEDIYL ESTER

ID: 6683-19-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-04 7:04:13

**O.0100 - 0.1000

**GreenScreen: LT-UNK

**RC: None

**NANO: No

SUBSTANCE ROLE: Antioxidant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	LI Ny	Preservatives-Antioxidants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

AMINES, BIS(HYDROGENATED TALLOW ALKYL), OXIDIZED

ID: 143925-92-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-04 7:04:14
%: 0.0100 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wai	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

PHENOL, 2,4-BIS(1,1-DIMETHYLETHYL)-, PHOSPHITE (3:1)

ID: 31570-04-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-06-04 7:04:14
%: 0.0100 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

CERIUM OXIDE (CEO2)

ID: **1306-38-3**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-06-04 7:04:14
%: 0.0100 - 0.1000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

H372 - Causes damage to organs through prolonged or
repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
NOTIFICATION

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities ISSUE DATE: 2024-03-11 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: International Product Assurance Laboratories

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general notes are applicable at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Schluter Systems ADDRESS: 194 Pleasant Ridge Road

Plattsburgh, NY 12901 COUNTRY: USA WEBSITE: www.schluter.com
CONTACT NAME: Kali Pharand

TITLE: Product Standards and Sustainability Coordinator

PHONE: **800-472-4588**

EMAIL: Sustainability@schluter.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

