

**Safety Data Sheet**

according to UK REACH Regulation

**Schlüter KERDI-COLL-RL**

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Schlüter KERDI-COLL-RL

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Adhesives, sealants

Reactive powder for KERDI-COLL-L

**Uses advised against**

Only use for the intended purpose.

Reserved for industrial and professional use.

**1.3. Details of the supplier of the safety data sheet**

Company name: Schlüter-Systems KG

Street: Schmölestraße 7

Place: D-58640 Iserlohn

Telephone: +49 (0)2371 971-0

Telefax: +49 (0)2371 971-111

E-mail: info@schlueter.de

Contact person: Björn Spiegel

E-mail: sdb@schlueter.de

Internet: www.schlueter.de

Responsible Department: International Technical Network (ITN)

**1.4. Emergency telephone number:**

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

Cement, portland, chemicals

**Signal word:** Danger**Pictograms:****Hazard statements**

H318 Causes serious eye damage.

EUH208 Contains Cement, portland, chemicals. May produce an allergic reaction.

**Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 2 of 11

P302+P352  
P501

IF ON SKIN: Wash with plenty of water.  
Dispose of contents / container in accordance with local / regional / national / international regulations.

#### 2.3. Other hazards

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight). If stored properly (dry) and used within the indicated storage time, a sensitizing effect of the cement/binding agent in case of contact with the skin can be ruled out (H317 or EUH203 can thus be omitted).

May cause skin irritation.

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Relevant ingredients

| CAS No     | Chemical name                                                                |              |  | Quantity        |
|------------|------------------------------------------------------------------------------|--------------|--|-----------------|
|            | EC No                                                                        | Index No     |  |                 |
|            | Classification (GB CLP Regulation)                                           |              |  |                 |
| 14808-60-7 | Quartz (SiO <sub>2</sub> )                                                   |              |  | > 20 - < 40 %   |
|            | 238-878-4                                                                    |              |  |                 |
|            |                                                                              |              |  |                 |
| 7778-18-9  | Calcium sulfate                                                              |              |  | >10 - < 30 %    |
|            | 231-900-3                                                                    |              |  |                 |
|            |                                                                              |              |  |                 |
| 65997-15-1 | Cement, portland, chemicals                                                  |              |  | >3 - <10 %      |
|            | 266-043-4                                                                    |              |  |                 |
|            | Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, STOT SE 3; H315 H318 H317 H335      |              |  |                 |
| 7632-00-0  | sodium nitrite                                                               |              |  | > 0,1 - < 0,3 % |
|            | 231-555-9                                                                    | 007-010-00-4 |  |                 |
|            | Ox. Sol. 2, Acute Tox. 3, Eye Irrit. 2, Aquatic Acute 1; H272 H301 H319 H400 |              |  |                 |

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No                                    | Chemical name  | Quantity        |
|-----------|------------------------------------------|----------------|-----------------|
|           | Specific Conc. Limits, M-factors and ATE |                |                 |
| 7632-00-0 | 231-555-9                                | sodium nitrite | > 0,1 - < 0,3 % |
|           | oral: LD50 = 180 mg/kg                   |                |                 |

##### Further Information

Chromium (VI): < 2ppm

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Safety Data Sheet**

according to UK REACH Regulation

**Schlüter KERDI-COLL-RL**

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 3 of 11

**General information**

In case of troubles or persistent symptoms, consult an doctor/physician.  
Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

**After inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.  
If breathing is irregular or stopped, administer artificial respiration.

**After contact with skin**

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. Seek medical attention if problems persist.

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If possible, use isotonic eye wash solution (0.9% NaCl). Call a physician immediately.

**After ingestion**

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Following eye contact: Causes serious eye damage.  
After skin contact: May cause skin irritation. May produce an allergic reaction. Longer exposure may cause skin irritation and skin inflammation (dermatitis).  
Most important symptoms and effects, both acute and delayed: irritant to corrosive effects on eyes, respiratory tract and skin, damage to the gastrointestinal tract when ingested orally; Allergic reactions; Irritant effect on the respiratory tract

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to harmful gases and vapours.

**5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Do not allow to enter into surface water or drains. Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Absorb spillage to prevent material damage.

**For non-emergency personnel**

Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 4 of 11

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Take up dust-free and set down dust-free. Treat the recovered material as prescribed in the section on waste disposal.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Wear personal protection equipment. Avoid contact with skin, eyes and clothes.

##### Advice on protection against fire and explosion

No special measures are necessary.

##### Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid contact with skin, eyes and clothes. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Keep locked up and out of the reach of children.

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

##### Further information on storage conditions

Incompatible materials: Aluminium, ammonium salts, Acids.

#### 7.3. Specific end use(s)

Adhesives, sealants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

| CAS No     | Substance                        | ppm | mg/m <sup>3</sup> | fibres/ml | Category  | Origin |
|------------|----------------------------------|-----|-------------------|-----------|-----------|--------|
| 65997-15-1 | Portland cement, respirable dust | -   | 4                 |           | TWA (8 h) | WEL    |

##### Additional advice on limit values

The content of soluble chromium (VI) must be kept below 2ppm (REACH, Annex XVII, Entry 47).

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide washing facility at the workplace. If larger quantities are handled, provide emergency showers. Provide

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 5 of 11

eye wash stations. These locations must be signposted prominently.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Tightly fitting safety glasses with side shields.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Tested protective gloves are to be worn:

Recommended material: nitrile impregnated cotton gloves (0,15 mm, EN ISO 374)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Full cover clothing covering arms and legs. Avoid contact with skin.

##### Respiratory protection

Filtering Half-face mask (EN 149), Type P1 / P2

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                           |                               |
|-----------------------------------------------------------|-------------------------------|
| Physical state:                                           | solid (Powder)                |
| Colour:                                                   | grey                          |
| Odour:                                                    | odourless                     |
| Melting point/freezing point:                             | >1250 °C                      |
| Boiling point or initial boiling point and boiling range: | not applicable                |
| Flammability:                                             | not determined                |
| Lower explosion limits:                                   | not applicable                |
| Upper explosion limits:                                   | not applicable                |
| Flash point:                                              | not applicable                |
| Auto-ignition temperature:                                | not applicable                |
| Decomposition temperature:                                | not determined                |
| pH-Value:                                                 | 11,5 (1%)                     |
| Viscosity / kinematic:                                    | not applicable                |
| Water solubility:<br>(at 20 °C)                           | 0,1 - 1,5 g/l                 |
| Solubility in other solvents                              | not determined                |
| Dissolution rate:                                         | not determined                |
| Partition coefficient n-octanol/water:                    | not determined                |
| Dispersion stability:                                     | not determined                |
| Vapour pressure:                                          | not determined                |
| Vapour pressure:                                          | not determined                |
| Density (at 25 °C):                                       | 2,75 - 3,20 g/cm <sup>3</sup> |
| Relative density:                                         | not determined                |
| Bulk density:                                             | 900 - 1300 kg/m <sup>3</sup>  |
| Relative vapour density:                                  | not determined                |
| Particle characteristics:                                 | not determined                |

### 9.2. Other information

#### Information with regard to physical hazard classes

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 6 of 11

Explosive properties

not determined

Self-ignition temperature

Gas:

not determined

Oxidizing properties

not determined

#### Other safety characteristics

Viscosity / dynamic:

not applicable

#### Further Information

VOC value: < 3%

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reaction with: Water, moisture.

### 10.2. Chemical stability

The product is stable under regular conditions.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Avoid contact with water.

After contact with water: The product hardens to a solid mass.

### 10.5. Incompatible materials

Strong acid. Aluminium. ammonium salts.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

In case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Chemical name  |               |         |        |        |
|-----------|----------------|---------------|---------|--------|--------|
|           | Exposure route | Dose          | Species | Source | Method |
| 7632-00-0 | sodium nitrite |               |         |        |        |
|           | oral           | LD50<br>mg/kg | 180     | Rat    | GESTIS |

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 7 of 11

Based on available data, the classification criteria are not met.  
Contains Cement, portland, chemicals. May produce an allergic reaction.  
Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight). If stored properly (dry) and used within the indicated storage time, a sensitizing effect of the cement/binding agent in case of contact with the skin can be ruled out (H317 or EUH203 can thus be omitted).

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

| CAS No    | Chemical name  | Log Pow |
|-----------|----------------|---------|
| 7632-00-0 | sodium nitrite | -3,7    |

#### 12.4. Mobility in soil

The product hardens to a solid immobile mass.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not dispose of residual product with household waste and do not empty into the sink or toilet. Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

##### List of Wastes Code - residues/unused products

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 8 of 11

170101 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; Concrete

#### List of Wastes Code - used product

101314 WASTES FROM THERMAL PROCESSES; wastes from manufacture of cement, lime and plaster and articles and products made from them; waste concrete and concrete sludge

#### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Recommended cleaning agent: Water (with cleaning agent)

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <u>14.1. UN number or ID number:</u>     | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u>    | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u>              | No dangerous good in sense of this transport regulation. |

#### Inland waterways transport (ADN)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <u>14.1. UN number or ID number:</u>     | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u>    | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u>              | No dangerous good in sense of this transport regulation. |

#### Marine transport (IMDG)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <u>14.1. UN number or ID number:</u>     | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u>    | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u>              | No dangerous good in sense of this transport regulation. |

#### Air transport (ICAO-TI/IATA-DGR)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <u>14.1. UN number or ID number:</u>     | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u>    | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u>              | No dangerous good in sense of this transport regulation. |

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No special precautions known.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 47

Information according to Directive  
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**Safety Data Sheet**

according to UK REACH Regulation

**Schlüter KERDI-COLL-RL**

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 9 of 11

**Additional information**

Regulation (EC) No. 2024/590 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 [Detergents regulation]: not applicable

Regulation (EC) No 2019/1021 on persistent organic pollutants: not applicable

Regulation (EU) No 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals: This mixture does not contain any chemicals listed in Annex I that are subject to the export notification procedure.

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

2 - obviously hazardous to water

**Additional information**

Observe in addition any national regulations!

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Version 1,00 - first creation - 16.05.2018

Version 1,01 - General update - 14.04.2021

Version 1,02 - General update - 01.07.2024

Version 1,03 - Change and revision of the SDS because of new information / recipe - 18.11.2025

Version 1,04 - General update - 16.04.2026

## Safety Data Sheet

according to UK REACH Regulation

### Schlüter KERDI-COLL-RL

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 10 of 11

#### Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2  
 Acute Tox. 3: Acute toxicity, hazard category 3  
 Skin Irrit. 2: Skin irritation, hazard category 2  
 Eye Dam. 1: Serious eye damage, hazard category 1  
 Eye Irrit. 2: Eye irritation, hazard category 2  
 Skin Sens. 1: Skin sensitisation, hazard category 1  
 STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3  
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AwSV: Ordinance on Installations for Handling Substances Hazardous to Water  
 BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act  
 CAS: Chemical Abstracts Service  
 EC: Effective Concentration  
 EG: European Community (Europäische Gemeinschaft)  
 EN: European Norm  
 IATA: International Air Transport Association  
 IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk  
 ICAO: International Civil Aviation Organization  
 IMDG: International Maritime Code for Dangerous Goods  
 CLP: Classification, Labeling, Packaging  
 IUCLID: International Uniform Chemical Information Database  
 LC: Lethal concentration  
 LD: Lethal dose  
 log Kow: Octanol/water partition coefficient  
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships  
 OECD: Organisation for Economic Co-operation and Development  
 PBT: Persistent, bio-cumulative, toxic  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail  
 TRGS: Technische Regeln für Gefahrstoffe  
 VOC: Volatile Organic Compounds  
 vPvB: very persistent and very bio-cumulative  
 VwVwS: Administrative Regulation for Water Pollutants  
 WGK: German Water Hazard Class  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 DNEL: Derived No Effect Level  
 PNEC: Predicted No Effect Concentration  
 TLV: Threshold Limiting Value  
 STOT: Specific Target Organ Toxicity

#### Classification for mixtures and used evaluation method

| Classification   | Classification procedure |
|------------------|--------------------------|
| Eye Dam. 1; H318 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.  
 H301 Toxic if swallowed.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.

**Safety Data Sheet**

according to UK REACH Regulation

**Schlüter KERDI-COLL-RL**

Revision: 16.04.2026

Product code: RCSO-SSYS-004

Page 11 of 11

H400

Very toxic to aquatic life.

EUH208

Contains Cement, portland, chemicals. May produce an allergic reaction.

**Further Information**

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*