
Schluter[®] Thin-set Mortar Made for Schluter[®] membranes and boards





NOW YOU'RE ALL SET.

A line of thin-set mortars specifically formulated for Schluter membranes and boards.



Schluter SET[®]

Premium Unmodified Thin-set Mortar

Approved to set tile, including porcelain tile, over Schluter boards and membranes

)()

) (

• 50 lbs - 22.7 kg bag

ANSI A118.1



Schluter ALL-SET®

Specialized Modified Thin-set Mortar

----- (

- Engineered for use both under and over all DITRA and KERDI products
- 50 lbs *22.7 kg* bag

ANSI A118.4, A118.11, and A118.15




Schluter FAST-SET®

Specialized Rapid-setting Modified Thin-set Mortar

- · Ready to grout in 4 hours for fast-track projects
- 50 lbs 22.7 kg bag

ANSI A118.4TF, A118.11, and A118.15TF



FEATURES

SUITABLE USES



The line of Schluter thin-set mortar is designed by Schluter, for Schluter products. All Schluter Systems' thin-set mortars, including the ALL-SET and FAST-SET modified varieties can be used to set tile over Schluter®-DITRA, DITRA-HEAT, KERDI, and KERDI-BOARD products.

Workability

- Sag resistant
- Smooth and creamy
- Easy to handle and spread

Applications

- Large and heavy tile (LHT)
- Floors and walls
- Natural stone, ceramic (incl. porcelain)

Guaranteed Compatibility

- Providing "single source" supply
- No need to rely on third-party mortars
- No more finger-pointing!

Application	Schluter SET®	Schluter ALL-SET®	Schluter FAST-SET®
DITRA® over			
Plywood/OSB	Х	1	1
Concrete	1	1	1
Gypsum	1	1	1
Vinyl flooring	X	Х	1
KERDI [®] over			
Gypsum board	1	1	1
Cement backerboard	1	1	1
Fiber-cement board	1	1	
Portland cement mortar	1	√	1
KERDI [®] -SHOWER prefabricated substrates	1	1	1
TILE over DITRA® & KERDI®			
Ceramic	1	1	1
Porcelain	1	1	1
Natural stone (e.g., granite, marble, etc.)	1	1	1
 For Schluter Systems[®] applications, refer to the Schluter[®]-DITRA[®], Schluter[®]-DITRA-HEAT[™], and Schluter[®]-Shower System Installation Handbooks. For other applications, refer to the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation and TTMAC Specification Guide 09 30 00 Tile Installation Manual. 			

 Contact Schluter[®]-Systems Technical Services for installation of glass tile, resin-backed tile, and/or moisture sensitive stone.

Approved use X = Not recommended



Schluter[®]-PRIMER-U Universal primer



Bond with Confidence.

Ready-to-use, universal primer used to enhance adhesion of mortars for hardto-bond substrates such as gypsum underlayment, raised access panels, and existing tile.



Find out more!



Schluter Systems L.P. 194 Pleasant Ridge Road, Plattsburgh, NY 12901-5841 Tel.: 800-472-4588 • Fax: 800-477-9783

Schluter Systems (Canada) Inc.

21100 chemin Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8 Tel.: 800-667-8746 • Fax: 877-667-2410

schluter.com