


Schluter® Thin-set Mortar

Made for Schluter membranes
and boards



NOW YOU'RE ALL SET.

A line of thin-set mortars specifically formulated for Schluter membranes and boards.



Schluter SET®

Premium Unmodified Thin-set Mortar

- Approved to set tile, including porcelain tile, over Schluter boards and membranes
- 50 lbs - 22.7 kg bag

ANSI A118.1



Schluter ALL-SET®

Specialized Modified Thin-set Mortar

- Engineered for use both under and over all DITRA and KERDI products
- 50 lbs - 22.7 kg bag

ANSI A118.4, A118.11, and A118.15



Schluter FAST-SET®

Specialized Rapid-setting Modified Thin-set Mortar

- Ready to grout in 4 hours for fast-track projects
- 50 lbs - 22.7 kg bag

ANSI A118.4TF, A118.11, and A118.15TF



FEATURES

SUITABLE USES



The line of Schluter thin-set mortar is designed by Schluter, for Schluter products. All Schluter-Systems' thin-set mortars, including the ALL-SET and FAST-SET modified varieties can be used to set tile over Schluter-DITRA, DITRA-HEAT, KERDI, and KERDI-BOARD products.

Workability

- Sag resistant
- Smooth and creamy
- Easy to handle and spread

Applications

- Large and heavy tile (LHT)
- Floors and walls
- Natural stone, ceramic (incl. porcelain)

Guaranteed Compatibility

- Providing “single source” supply
- No need to rely on third-party mortars
- No more finger-pointing!


Application	Schluter SET	Schluter ALL-SET	Schluter FAST-SET
DITRA over			
Plywood/OSB	X	✓	✓
Concrete	✓	✓	✓
Gypsum	✓	✓	✓
Vinyl flooring	X	X	✓
KERDI over			
Gypsum board	✓	✓	✓
Cement backerboard	✓	✓	✓
Fiber-cement board	✓	✓	✓
Portland cement mortar	✓	✓	✓
KERDI-SHOWER prefabricated substrates	✓	✓	✓
TILE over DITRA & KERDI			
Ceramic	✓	✓	✓
Porcelain	✓	✓	✓
Natural stone (e.g., granite, marble, etc.)	✓	✓	✓
• For Schluter-Systems applications, refer to the Schluter-DITRA, DITRA-HEAT, and Shower System Installation Handbooks. • For other applications, refer to the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation and TTMAC Specification Guide 09 30 00 Tile Installation Manual. • Contact Schluter-Systems Technical Services for installation of glass tile, resin-backed tile, and/or moisture sensitive stone.			

✓ = Approved use X = Not recommended



DITRA and DITRA-XL

OR



DITRA-HEAT and DITRA-HEAT-DUO membranes

OR



Shower System with KERDI or KERDI-BOARD

OR



KERDI and KERDI-DS

+



=



LIMITED LIFETIME WARRANTY AVAILABLE

*Applicable when used as a Thin-Set System. For full warranty details, please visit schluter.com/warranties

Schluter®-PRIMER-U

Universal primer



Bond with Confidence.

Ready-to-use, universal primer used to enhance adhesion of mortars for hard-to-bond substrates such as gypsum underlayment, raised access panels, and existing tile.



Find out more!



Schluter Systems L.P.

194 Pleasant Ridge Road, Plattsburgh, NY 12901-5841
Tel.: 800-472-4588 • Fax: 800-477-9783

Schluter Systems (Canada) Inc.

21100 chemin Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8
Tel.: 800-667-8746 • Fax: 877-667-2410

schluter.com