





Cove-shaped Profiles



4.13 Schluter®-DILEX-EKE

Item No.

EKE U 8/O 7 **color***
EKE U 9/O 8 **color***
EKE U 11/O 10 **color***
EKE U 13/O 12 **color***
EKE U 15/O 14 **color***

Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes

BW Bright white
SP Sand pebble
HB Light beige
PG Classic grey
G Grey
GS Black



To complete the item number, add the **color** code (e.g., EKE U8/O7 **BW**).

U:

5/16" = 8 mm
11/32" = 9 mm
7/16" = 11 mm
33/64" = 13 mm
9/16" = 15 mm

O:

9/32" = 7 mm
5/16" = 8 mm
3/8" = 10 mm
1/2" = 12 mm
17/32" = 14 mm



4.12 Schluter®-DILEX-HKW

Item No.

HKW U 7/O 7 **color***
HKW U 9/O 9 **color***
HKW U 11/O 11 **color***

Length supplied: 8' 2-1/2" — 2.5 m

U: 9/32" = 7 mm 11/32" = 9 mm 7/16" = 11 mm
O: 9/32" = 7 mm 11/32" = 9 mm 7/16" = 11 mm

Accessories

Outside corner A/HKW/**color***
Inside corner (2-way) I/HKW 2 R18 **color***
Inside corner (3-way) I/HKW 3 R18 **color***
End cap E/HKW/G (**grey only**)

Item No.

*Color Codes


BW Bright white
HB Light beige
PG Classic grey
G Grey

To complete the item number, add the **color** code (e.g., HKW U 9/O 9 **HB**).


Outside Corner






Inside Corner (2-way)





Inside Corner (3-way)



End Cap



**4.11 Schluter®-DILEX-HK**

Item No.

HK U 12/O 9 **color***

Length supplied: 8' 2-1/2" — 2.5 m


U: 1/2" = 12 mm
O: 11/32" = 9 mm***Color Codes**To complete the item number, add the **color** code (e.g., HK U 12/O 9 **BW**).

Accessories


Item No.

Outside corner	A/HK/ color*
Inside corner (2-way)	I/HK 2 R18 color*
Inside corner (3-way)	I/HK 3 R18 color*
Connector	V/HK
End cap (left)	EL/HK/G (grey only)
End cap (right)	ER/HK/G (grey only)


Outside Corner




Inside Corner (2-way)









Inside Corner (3-way)



Connector



End Cap


**4.22 Schluter®-DILEX-HKU (10 mm - 3/8" radius)****H =**
mm - in.

Item No.


Stainless steel 304 (1.4301 = V2A)	Brushed stainless steel 304 (1.4301 = V2A)	Stainless steel 316L (1.4404 = V4A)
(E)	(EB)	(EV4A)

10 - 3/8 HKUR 10 E HKUR 10 EB HKUR 10 EV4A


Outside Corner



Inside Corner (2- or 3-way)




Connector



Accessories

Item No.

Outside corner 90°	EQ/HKUR 10 finish*
Outside corner 135°	E135/HKUR 10 finish*
Inside corner 90°	I/HKU 3 R 10 finish*
Inside corner 135°	I135/HKUR 10 finish*
Connector	V/HKUR 10 finish*

* To complete the item number, add the **finish** code (e.g., EQ/HKUR 10 **E**).**4.22 Schluter®-DILEX-HKU (36 mm - 1-13/32" radius)****H =**
mm - in.

Item No.

Stainless steel 304 (1.4301 = V2A)
(E)


36 - 1-13/32 HKUR 36 E

Length supplied: 8' 2-1/2" — 2.5 m

Accessories

Item No.

Outside corner 90°	E/HKUR 36 E
Inside corner 90°	I/HKU 3 R 36 10 E
Connector	V/HKUR 36 E
End Cap	EK/HKUR 36 E



**4.21 Schluter®-DILEX-AHK**

H = mm - in.	Item No.				
	Satin anodized aluminum (AE)	Polished chrome anodized aluminum (ACG)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Polished nickel anodized aluminum (ATG)
8 - 5/16	AHK 1S 80 AE	AHK 1S 80 ACG	AHK 1S 80 ACGB	AHK 1S 80 AT	AHK 1S 80 ATG
10 - 3/8	AHK 1S 100 AE	AHK 1S 100 ACG	AHK 1S 100 ACGB	AHK 1S 100 AT	AHK 1S 100 ATG
12.5 - 1/2	AHK 1S 125 AE	AHK 1S 125 ACG	AHK 1S 125 ACGB	AHK 1S 125 AT	AHK 1S 125 ATG
15 - 9/16	-	-	-	AHK 1S 150 AT	-



H = mm - in.	Item No.				
	Brushed nickel anodized aluminum (ATGB)	Satin copper anodized aluminum (AK)	Polished copper anodized aluminum (AKG)	Brushed copper anodized aluminum (AKGB)	Satin brass anodized aluminum (AM)
8 - 5/16	AHK 1S 80 ATGB	AHK 1S 80 AK	AHK 1S 80 AKG	AHK 1S 80 AKGB	AHK 1S 80 AM
10 - 3/8	AHK 1S 100 ATGB	AHK 1S 100 AK	AHK 1S 100 AKG	AHK 1S 100 AKGB	AHK 1S 100 AM
12.5 - 1/2	AHK 1S 125 ATGB	AHK 1S 125 AK	AHK 1S 125 AKG	AHK 1S 125 AKGB	AHK 1S 125 AM

H = mm - in.	Item No.		
	Polished brass anodized aluminum (AMG)	Brushed brass anodized aluminum (AMGB)	Brushed graphite anodized aluminum (AGRB)
8 - 5/16	AHK 1S 80 AMG	AHK 1S 80 AMGB	AHK 1S 80 AGRB
10 - 3/8	AHK 1S 100 AMG	AHK 1S 100 AMGB	AHK 1S 100 AGRB
12.5 - 1/2	AHK 1S 125 AMG	AHK 1S 125 AMGB	AHK 1S 125 AGRB
15 - 9/16	-	-	AHK 1S 150 AGRB

Outside Corner




Outside Corner (QUADEC)




Accessories	Item No.
Outside corner, 90°	E 90/AHK 1S/ <i>finish</i> *
Outside corner, 90° (to match Schluter®-QUADEC profile)	E90 Q/AHK 1S/ <i>finish</i> *
Outside corner, 135°	E 135/AHK 1S/ <i>finish</i> *
Inside corner, 90°	I 90/AHK 1S/ <i>finish</i> *
Inside corner, 135°	I 135/AHK 1S/ <i>finish</i> *
Connector	V/AHK
End cap	E/AHK 1S/ <i>finish</i> *


Inside Corner (2- or 3-way)



Connector



End cap



* To complete the item number, add the *finish* code (e.g., E 90/AHK 1S/*AE*).

Note: E 90 Q (outside corner piece to match QUADEC) is only available in AE, ACG, AT, TSB, TSOB, TSC, TSDA, TSBG, TSI, TSLA, TSR, TSSG and TSG finishes.

4.21 Schluter®-DILEX-AHK


H = mm - in.	Item No.	Accessories	Item No.
	Textured color-coated aluminum (TS)		Textured color-coated aluminum (TS)
8 - 5/16	AHK 1S 80 <i>color</i> *	Outside corner, 90°	E 90/AHK 1S/ <i>color</i> *
10 - 3/8	AHK 1S 100 <i>color</i> *	Outside corner, 90° (to match Schluter®-QUADEC profile)	E90 Q/AHK 1S/ <i>color</i> *
12.5 - 1/2	AHK 1S 125 <i>color</i> *	Outside corner, 135°	E 135/AHK 1S/ <i>color</i> *
15 - 9/16	AHK 1S 150 <i>color</i> *	Inside corner, 90°	I 90/AHK 1S/ <i>color</i> *
		Inside corner, 135°	I 135/AHK 1S/ <i>color</i> *
		Connector	V/AHK
		End cap	E/AHK 1S/ <i>color</i> *

Length supplied: 8' 2-1/2" — 2.5 m

***Color Codes**

MBW Matte white	TSR Rustic brown	TSDA Dark anthracite	TSLA Light anthracite	TSSG Stone grey	TSC Cream
MGS Matte black	TSBG Greige	TSI Ivory	TSB Beige	TSOB Bronze	TSG Pewter

* To complete the item number, add the *color* code
(e.g., AHK 1S 80 **TSC**).

**4.22 Schluter®-DILEX-AHKA**

H = mm - in.	Item No.			
	Satin anodized aluminum (AE)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Brushed nickel anodized aluminum (ATGB)
8 - 5/16	AHKA 80 AE	AHKA 80 ACGB	AHKA 80 AT	AHKA 80 ATGB
10 - 3/8	AHKA 100 AE	AHKA 100 ACGB	AHKA 100 AT	AHKA 100 ATGB
12.5 - 1/2	AHKA 125 AE	AHKA 125 ACGB	AHKA 125 AT	AHKA 125 ATGB
15 - 9/16	AHKA 150 AE	AHKA 150 ACGB	AHKA 150 AT	AHKA 150 ATGB

Accessories	Item No.
Outside corner, 90°	E 90/AHKA/ <i>finish</i> *
Outside corner, 135°	E 135/AHKA/ <i>finish</i> *
Inside corner, 90°	I 90/AHKA/ <i>finish</i> *
Inside corner, 135°	I 135/AHKA/ <i>finish</i> *
End cap (Left)	EL/AHKA/ <i>finish</i> *
End cap (Right)	ER/AHKA/ <i>finish</i> *


* To complete the item number, add the *finish* code (e.g., E 90/AHKA/*AE*).

4.22 Schluter®-DILEX-AHKA

H = mm - in.	Item No.	Accessories	Item No.
	Textured color-coated aluminum (TS)		Textured color-coated aluminum (TS)
8 - 5/16	AHKA 80 <i>color</i> *	Outside corner, 90°	E 90/AHKA/ <i>color</i> *
10 - 3/8	AHKA 100 <i>color</i> *	Outside corner, 135°	E 135/AHKA/ <i>color</i> *
12.5 - 1/2	AHKA 125 <i>color</i> *	Inside corner, 90°	I 90/AHKA/ <i>color</i> *
15 - 9/16	AHKA 150 <i>color</i> *	Inside corner, 135°	I 135/AHKA/ <i>color</i> *
		End cap (left)	EL/AHKA/ <i>color</i> *
		End cap (right)	ER/AHKA/ <i>color</i> *

***Color Codes**

* To complete the item number, add the *color* code (e.g., AHKA 80 *TSC*).

**4.21 Schluter®-DILEX-PHK**





H = mm - in.	Item No.
8 - 5/16	PHK 1S 80 <i>color</i> *
10 - 3/8	PHK 1S 100 <i>color</i> *
12.5 - 1/2	PHK 1S 125 <i>color</i> *


Length supplied: 8' 2-1/2" — 2.5 m

***Color Codes**

* To complete the item number, add the *color* code (e.g., PHK 1S 80 *BW*).

Accessories	Item No.
Outside corner, 90°	E 90/PHK 1S/ <i>color</i> *
Outside corner, 135°	E 135/PHK 1S/ <i>color</i> *
Inside corner, 90°	I 90/PHK 1S/ <i>color</i> *
Inside corner, 135°	I 135/PHK 1S/ <i>color</i> *
Connector	V/PHK
End cap	E/PHK 1S/ <i>color</i> *

Outside corner**Inside Corner****Connector****End cap**

**4.15 Schluter®-DILEX-EHK**


Item No.		
Stainless steel 304 (1.4301 - V2A)	Stainless steel 316 L (1.4404 - V4A)	Brushed stainless steel 304 (1.4301 = V2A) (EB)
(E)	(EV4A)	
EHK U 7/O 7	EHK U 7/O 7/V4A	EBHK U 7/O 7
EHK U 9/O 9	EHK U 9/O 9/V4A	EBHK U 9/O 9
EHK U 11/O 11	EHK U 11/O 11/V4A	EBHK U 11/O 11
-	EHK U 16/O 16/V4A	-

Length supplied: 8' 2-1/2" — 2.5 m




U:	9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm	5/8" = 16 mm
O:	9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm	5/8" = 16 mm

Accessories	Item No.	
	Stainless steel 316 L (1.4404 = V4A) (E)	Brushed stainless steel 304 (1.4301 = V2A) (EB)
Outside corner	A/EHK 2 R18	A/EBHK 2 R18
Outside corner, 135°	E135/EHK 2 R18	E135/EBHK2R18
Inside corner (2-way)	I/EHK 2 R18	I/EBHK 2 R18
Inside corner (3-way)	I/EHK 3 R18	I/EBHK 3 R18
Inside corner, 135°	I135/EHK 2 R18	I135/EBHK2R18
Connector	V/EHK	V/EBHK
End cap	E/HKW/G *	E/HKW/G *
	<i>*Available in grey PVC only</i>	

Outside Corner






Inside Corner (2-way)





Inside Corner (3-way)





Connector



End Cap





4.15 Schluter®-DILEX-HKS

Item No.
Stainless steel 304 (1.4301 - V2A) (E)
U = floor or wall, O = wall
HKS V2A U 8 / O 7 color*
HKS V2A U 10 / O 7 color*
HKS V2A U 12 / O 7 color*
HKS V2A U 14 / O 7 color*
HKS V2A U 16 / O 7 color*
HKS V2A U 18 / O 7 color*
HKS V2A U 21 / O 7 color*
HKS V2A U 25 / O 7 color*
HKS V2A U 30 / O 7 color*
HKS V2A U 8 / O 9 color*
HKS V2A U 10 / O 9 color*
HKS V2A U 12 / O 9 color*
HKS V2A U 14 / O 9 color*
HKS V2A U 16 / O 9 color*
HKS V2A U 18 / O 9 color*
HKS V2A U 21 / O 9 color*
HKS V2A U 25 / O 9 color*
HKS V2A U 30 / O 9 color*
HKS V2A U 8 / O 11 color*
HKS V2A U 10 / O 11 color*
HKS V2A U 12 / O 11 color*
HKS V2A U 14 / O 11 color*
HKS V2A U 16 / O 11 color*
HKS V2A U 18 / O 11 color*
HKS V2A U 21 / O 11 color*
HKS V2A U 25 / O 11 color*
HKS V2A U 30 / O 11 color*

Length supplied: 8' 2-1/2" — 2.5 m

U:	5/16" = 8 mm	3/8" = 10 mm	15/32" = 12 mm	17/32" = 14 mm	5/8" = 16 mm
	23/32" = 18 mm	13/16" = 21 mm	1" = 25 mm	1-3/16" = 30 mm	
O:	9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm		

Accessories	Item No.
Outside corner, 90°	A/EHK 2 R18
Inside corner, 90° (2-way)	I/EHK 2 R18
Inside corner, 90° (3-way)	I/EHK 3 R18
Outside corner, 135°	E135/EHK2R18
Inside corner, 135°	I135/EHK2R18
Connector	V/EHK
End cap	E/HKW/G (Grey only)

Note: DILEX-HKS is also available in stainless steel 316 L (1.4404 = V4A).

*Color Codes





To complete the item number, add the **color** code (e.g., HKS V2A U 18/O 7 **G**).

4.15 Schluter®-DILEX-HKS



Accessories	Item No.
Stainless steel 304 (1.4301 - V2A) (E)	
90° outside corner with pre-cut profile sections	E90 V2A U ... / O ... + color**
Stainless steel 316L (1.4404 = V4A) (E)	
90° outside corner with pre-cut profile sections	E90 V4A U ... / O ... + color**

** To complete the item number, add the "U" and "O" values, and the **color** code (e.g., E90 V2A U **12** / O **9 G**). Available for U = 8, 10, 12, 14 and 16 mm only.


Outside Corner





Inside Corner (2-way)




Inside Corner (3-way)



Connector



End Cap



Note: 3-way corners are to be used with DILEX-EHK on the vertical.