

KERDI-LINE is a low-profile linear floor drain specifically designed for bonded waterproofing assemblies. The channel body features a standard 2" (50 mm) no-hub center or off-set outlet and is attached to the pipe using an appropriate mechanical (e.g., flexible or no-hub) coupling.

- Indoor use only
- Stainless steel 316L
- Cannot be cut to size

Product Codes


Schluter®-KERDI-LINE - Center Outlet Channel Body

Material	Outlet Size	Connection Type	L = cm - in.	L ₁ = cm - in.	Item No.	Select
Stainless Steel	2" (50 mm)	No-hub	50 - 19-11/16	55 - 21-11/16	KL1V 60 E 50	
Stainless Steel	2" (50 mm)	No-hub	60 - 23-5/8	65 - 25-5/8	KL1V 60 E 60	
Stainless Steel	2" (50 mm)	No-hub	70 - 27-9/16	75 - 29-9/16	KL1V 60 E 70	
Stainless Steel	2" (50 mm)	No-hub	80 - 31-1/2	85 - 33-1/2	KL1V 60 E 80	
Stainless Steel	2" (50 mm)	No-hub	90 - 35-7/16	95 - 37-7/16	KL1V 60 E 90	
Stainless Steel	2" (50 mm)	No-hub	100 - 39-3/8	105 - 41-3/8	KL1V 60 E 100	
Stainless Steel	2" (50 mm)	No-hub	110 - 43-5/16	115 - 45-5/16	KL1V 60 E 110	
Stainless Steel	2" (50 mm)	No-hub	120 - 47-1/4	125 - 49-1/4	KL1V 60 E 120	
Stainless Steel	2" (50 mm)	No-hub	130 - 51-3/16	135 - 53-3/16	KL1V 60 E 130	
Stainless Steel	2" (50 mm)	No-hub	140 - 55-1/8	145 - 57-1/8	KL1V 60 E 140	
Stainless Steel	2" (50 mm)	No-hub	150 - 59-1/16	155 - 61-1/16	KL1V 60 E 150	
Stainless Steel	2" (50 mm)	No-hub	160 - 62-15/16	165 - 64-15/16	KL1V 60 E 160	
Stainless Steel	2" (50 mm)	No-hub	170 - 66-7/8	175 - 68-7/8	KL1V 60 E 170	
Stainless Steel	2" (50 mm)	No-hub	180 - 70-13/16	185 - 72-13/16	KL1V 60 E 180	


Schluter®-KERDI-LINE - Off-Set Outlet Channel Body

Material	Outlet Size	Connection Type	L = cm - in.	L ₁ = cm - in.	Item No.	Select
Stainless Steel	2" (50 mm)	No-hub	70 - 27-9/16	75 - 29-9/16	KL1VO 60 E 70	
Stainless Steel	2" (50 mm)	No-hub	80 - 31-1/2	85 - 33-1/2	KL1VO 60 E 80	
Stainless Steel	2" (50 mm)	No-hub	90 - 35-7/16	95 - 37-7/16	KL1VO 60 E 90	
Stainless Steel	2" (50 mm)	No-hub	100 - 39-3/8	105 - 41-3/8	KL1VO 60 E 100	
Stainless Steel	2" (50 mm)	No-hub	110 - 43-5/16	115 - 45-5/16	KL1VO 60 E 110	
Stainless Steel	2" (50 mm)	No-hub	120 - 47-1/4	125 - 49-1/4	KL1VO 60 E 120	

Channel body center outlet




Channel body off-set outlet






Contents: KERDI-LINE channel body includes one (1) foam channel support, one (1) no-hub coupling, four (4) inside corners, two (2) outside corners, one (1) pipe seal (3/4" – 20 mm), and one (1) mixing valve seal (4-1/2" – 114 mm).

Grates and frames sold separately.

KERDI-LINE Channel Body – Center outlet



KERDI-LINE Channel Body – Off-set outlet



See **Shower System technical data sheet** and **Shower Drains technical data sheet** for information on drain grates, shower trays, and other Schluter®-Shower System components. See **Schluter®-Shower System Installation Handbook** for installation instructions and warranty criteria.

For a complete offering of materials and SKUs, please visit www.schluter.com.

This drain specification sheet is subject to change without notice. Please visit www.schluter.com for the latest version.