

Functionality meets design

Stainless steel products from Schlüter®-Systems





Overview of our stainless steel products

		Page
Schlüter stainless steel products	High-quality stainless steel products from Schlüter	4
Stainless steel	What is stainless steel?	5
Edge protection profiles for floors	Schlüter®-SCHIENE/-RENO/-DECO	6
Wall corners and edge profiles	Schlüter®-JOLLY/-RONDEC/-QUADEC/-ECK/ -DESIGNLINE/ Designbase/-FINEC/-SCHIENE-STEP	10
Stair nosing profiles	Schlüter®-TREP	16
Movement and control joint profiles	Schlüter®-DILEX	20
Drainage	Schlüter®-KERDI-LINE/-SHOWERPROFILE/ -KERDI-DRAIN/-SHELF	26
Balcony and terrace assemblies	Schlüter®-BARA/-TROBA-LINE	44
Care tips	For long-lasting stainless steel surfaces	49



Profiles that are also available in lengths of 3 metres are marked following with the  symbol.
Profiles that are available with radius perforation are labelled with the  symbol.



High quality Schlüter stainless steel profiles

The popularity of stainless steel as an architectural material is continuously on the rise. In response to increasing demand, Schlüter-Systems offers a broad assortment of profiles made from this material.

All stainless steel products available in our product range are always manufactured in the material quality V2A (material no. 1.4301 = AISI 304). However, many products are also available in the material quality V4A (material no. 1.4404 = AISI 316L). Thanks to its higher resistance to chemicals and corrosion, this material is suitable for use in areas with particular stresses such as swimming pools (fresh water) or industrial facilities.

In addition to the conventional finishing profiles Schlüter-SCHIENE, Schlüter-RONDEC or Schlüter-QUADEC, edge protection profiles (Schlüter-ECK), stair-nosing profiles (Schlüter-TREP-E), movement joint profiles (Schlüter-DILEX-EKSN, -EKSB and -EKSBT) and cove profiles (Schlüter-DILEX-EHK and -HKS) are also available in V4A grade stainless steel.



i

More information on the use and care of stainless steel products can be found on page 49.



What is stainless steel?

"Stainless steel" is a generic term that describes over 160 types of alloy steels, which are suitable for a wide range of applications with their different compositions.

Stainless steel is not necessarily rust free and needs to be maintained. When chromium is added to the alloy, it forms a dense, protective passivation layer on the steel surface in a thickness of about 1000th of a millimetre. Although this layer is very thin, it is able to restore itself consistently after mechanical damage, which normally prevents corrosion in this type of steel.

As such this protective layer must never be permanently damaged (e.g. by extraneous rust or certain chemicals such as hydrochloric acid). This kind of damage can occur particularly in areas that are exposed to chemical stresses, such as external areas near the coast or with high levels of industrial air pollution, food industry operations or areas near swimming pools. In those cases, it is recommended to use stainless steel V4A

(material no. 1.4404 = AISI 316L), which has higher corrosion resistance appropriate for such demanding requirements, instead of conventional V2A material (material no. 1.4301 = AISI 304).

Even stainless steel of quality 1.4404 is not resistant to all chemical stresses such as hydrochloric and hydrofluoric acid or certain chloride and brine concentrations. In certain cases, this also applies to seawater pools. The anticipated chemical stresses should therefore be verified in advance. The Technical Department and the sales representatives of Schlüter-Systems are able to provide expert support for planners and installers if there are uncertainties about the correct material choice.



i

The official abbreviated term for material no. 1.4301 according to DIN EN 10088 is: X5CrNi18-10. The official abbreviated term for material no. 1.4404 according to DIN EN 10088 is: X2CrNiMo17-12-2.



Schlüter profiles


Edge protection profiles for floors

Finishing profiles, such as the original Schlüter-SCHIENE, completes tiled surfaces and protects the external edges of ceramic tile and natural stone coverings from mechanical impact. The profiles of the Schlüter-RENO range create a seamless transition between adjoining floor coverings. All our finishing profiles for floor areas contribute to the lasting aesthetic appeal of floor coverings.



Schlüter®-SCHIENE-E / -ES

Schlüter-SCHIENE-E and -ES are special stainless steel profiles for finishing the external edges of tiled surfaces. They are also ideally suited for use with other covering materials and applications. SCHIENE-ES and -ES-EB are equipped with joint spacers.


**Schlüter®-SCHIENE-E / -ES**

stainless steel V2A/V4A

H (mm)	Schlüter®-SCHIENE-E V2A		Schlüter®-SCHIENE-EB V2A brushed		Schlüter®-SCHIENE-E V4A		Schlüter®-SCHIENE-ES V2A with joint spacer		Schlüter®-SCHIENE-ES-EB V2A brushed with joint spacer	
	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.		L = 2.50 m Art. No.		L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.	
2	E 20	—	—		—		—	—	—	
3	E 30	—	—		—		—	—	—	
4.5	E 45	—	—		—		—	—	—	
6	E 60	E 60 / 100	E 60 EB		E 60/V4A		—	—	—	
7	E 70	—	—		—		—	—	—	
8	E 80	E 80 / 100	E 80 EB		E 80/V4A		ES 80	ES 80 / 100	ES 80 EB	
9	E 90	—	E 90 EB		—		—	—	—	
10	E 100	E 100 / 100	E 100 EB		E 100/V4A		ES 100	ES 100 / 100	ES 100 EB	
11	E 110	E 110 / 100	E 110 EB		E 110/V4A		ES 110	ES 110 / 100	ES 110 EB	
12.5	E 125	E 125 / 100	E 125 EB		E 125/V4A		ES 125	ES 125 / 100	ES 125 EB	
14	E 140	—	—		E 140/V4A		—	—	—	
15	E 150	—	—		E 150/V4A		—	—	—	
16	E 160	—	—		E 160/V4A		—	—	—	
17.5	E 175	—	—		E 175/V4A		—	—	—	
20	E 200	—	—		E 200/V4A		—	—	—	
22.5	E 225	—	—		E 225/V4A		—	—	—	
25	E 250	—	—		E 250/V4A		—	—	—	
30	E 300	—	—		E 300/V4A		—	—	—	

Schlüter®-RENO-TK

Schlüter-RENO-TK is a profile that provides a smooth transition between tiled surfaces and adjoining carpeting or other coverings of a lower height. In addition, it also protects the edges of the adjacent floor coverings.

**Schlüter®-RENO-ETK / -EBTK**

stainless steel V2A

H (mm)	Schlüter®-RENO-ETK		Schlüter®-RENO-EBTK brushed	
	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.
8	ETK 80	ETK 80/100	EBTK 80	EBTK 80/100
10	ETK 100	ETK 100/100	EBTK 100	EBTK 100/100
11	ETK 110	ETK 110/100	EBTK 110	EBTK 110/100
12.5	ETK 125	ETK 125/100	EBTK 125	EBTK 125/100



See illustrated price list for radius perforation




Also available in 3 m, see illustrated price list



Schlüter®-RENO-U

Schlüter-RENO-EU is a stainless steel profile for the smooth transition between floor coverings of different heights.




Schlüter®-RENO-EU

stainless steel V2A

H (mm)	Schlüter®-RENO-EU		Schlüter®-RENO-EBU brushed	
	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.
8	EU 80	EU 80/100	EBU 80	EBU 80/100
10	EU 100	EU 100/100	EBU 100	EBU 100/100
11	EU 110	EU 110/100	EBU 110	EBU 110/100
12.5	EU 125	EU 125/100	EBU 125	EBU 125/100
15	EU 150	—	EBU 150	—
17.5	EU 175	—	EBU 175	—
20	EU 200	—	EBU 200	—

Schlüter®-RENO-T

Schlüter-RENO-T is a profile that is retrofitted to adjoin different types of floor coverings of the same height.




Schlüter®-RENO-T-E

stainless steel V2A

B (mm)	Schlüter®-RENO-T-E		Schlüter®-RENO-T-EB brushed	
	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.
14	T 9/14 E	T 9/14 E/100	T 9/14 EB	T 9/14 EB/100
25	T 9/25 E	T 9/25 E/100	T 9/25 EB	T 9/25 EB/100

Schlüter®-DECO

Schlüter-DECO is a profile with a wide visible surface for decorative joint design in tile coverings.


**Schlüter®-DECO-E**

stainless steel V2A

H (mm)	L = 2.50 m Art. No.
10	E 100 D
11	E 110 D
12.5	E 125 D
16	E 160 D
21	E 210 D

Schlüter®-DECO-DE

Schlüter-DECO-DE is a high-quality stainless steel finishing profile for 135° degree external wall corners in tile coverings and provides excellent edge protection.

**Schlüter®-DECO-DE**

stainless steel V2A

H (mm)	Schlüter®-DECO-DE-E-S	Schlüter®-DECO-DE-EB-S brushed
	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	DE 80 ES	DE 80 EBS
10	DE 100 ES	DE 100 EBS
11	DE 110 ES	DE 110 EBS
12.5	DE 125 ES	DE 125 EBS



Schlüter profiles


Wall corners and edge profiles

The profiles of the Schlüter-JOLLY, -QUADEC and -RONDEC series create highly durable and decorative finishing edges for wall coverings and skirtings made of tiles and natural stone. The Schlüter-ECK series profiles are suitable for edges subject to heavy wear. Schlüter-Systems products can be used in combination with the decorative DESIGNLINE border profiles or the Schlüter-ECK-KHK internal corner profiles to create stylish accents.




Schlüter®-JOLLY

Schlüter-JOLLY ist ein dekoratives Profil aus Metall für Wandaußenecken an Fliesenbelägen sowie für Sockel- und Belagsabschlüsse. Sein Abschluss-Schenkel im 90°-angle schützt die Fliesen sicher vor mechanischer Beschädigung.

**Schlüter®-JOLLY-EB**

stainless steel V2A


H (mm)	Schlüter®-JOLLY-EB brushed	
	L = 2.50 m Art. No.	
6	J 60 EB	③
8	J 80 EB	③
10	J 100 EB	③
11	J 110 EB	③
12.5	J 125 EB	③



Accessories: external corners

Schlüter®-RONDEC-E

Schlüter-RONDEC-E is a symmetrically rounded profile for external corners and the edges of coverings, and is made of stainless steel with different finishes.



Accessories: internal/external corners, connectors, end caps

Schlüter®-RONDEC-E

stainless steel V2A/V4A

H (mm)	Schlüter®-RONDEC-E V2A		Schlüter®-RONDEC-EB V2A brushed	Schlüter®-RONDEC-EP V2A polished (manually polished)	Schlüter®-RONDEC-E V4A
	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.
4.5	RO 45 E	—	—	—	—
6	RO 60 E ③	RO 60 E/100	RO 60 EB	RO 60 EP	RO 60 E/V4A
7	RO 70 E	—	RO 70 EB	—	—
8	RO 80 E ③	RO 80 E/100	RO 80 EB	RO 80 EP	RO 80 E/V4A
9	RO 90 E	—	RO 90 EB	—	—
10	RO 100 E ③	RO 100 E/100	RO 100 EB	RO 100 EP	RO 100 E/V4A
11	RO 110 E ③	—	RO 110 EB	—	—
12.5	RO 125 E ③	RO 125 E/100	RO 125 EB	RO 125 EP	RO 125 E/V4A
15	RO 150 E	—	RO 150 EB	RO 150 EP	—



See illustrated price list for radius perforation





Also available in 3 m, see illustrated price list



Schlüter®-QUADEC-E

Schlüter-QUADEC-E is a high-quality stainless steel finishing profile that offers excellent edge protection for external corners of tiled walls. The surface edge of the profile forms a right-angled external corner for tile coverings.



Accessories: stainless steel corners can be used as internal/external corners, connectors, end caps


Schlüter®-QUADEC-E

stainless steel V2A/V4A

H (mm)	Schlüter®-QUADEC-E V2A		Schlüter®-QUADEC-EB V2A brushed		Schlüter®-QUADEC-EP V2A glänzend (manuell poliert)		Schlüter®-QUADEC-E V4A	
	L = 2.50 m Art. No.		L = 2.50 m Art. No.		L = 2.50 m Art. No.		L = 2.50 m Art. No.	
4.5	Q 45 E		—		—		—	
6	Q 60 E	⊗	Q 60 EB	⊗	Q 60 EP		Q 60 E / V4A	
7	Q 70 E	⊗	Q 70 EB		—		—	
8	Q 80 E	⊗	Q 80 EB	⊗	Q 80 EP		Q 80 E / V4A	
9	Q 90 E	⊗	Q 90 EB		—		—	
10	Q 100 E	⊗	Q 100 EB	⊗	Q 100 EP		Q 100 E / V4A	
11	Q 110 E	⊗	Q 110 EB	⊗	—		—	
12.5	Q 125 E	⊗	Q 125 EB	⊗	Q 125 EP		Q 125 E / V4A	
14	Q 140 E	⊗	Q 140 EB		—		—	
15	Q 150 E	⊗	Q 150 EB	⊗	Q 150 EP		—	

Schlüter®-ECK-E

Schlüter-ECK-E is a stainless steel corner profile for external wall corners of tiled surfaces that offers durable edge protection. The perforated fastening legs are embedded in the tile adhesive during tile installation.



Schlüter®-ECK-E

stainless steel V2A

H (mm)	Schlüter®-ECK-E				Schlüter®-ECK-EB brushed			
	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.
6	E37 V2A 60/150	E37 V2A 60/200	E37 V2A 60/250	E37 V2A 60/300	E37 V2A EB 60/150	E37 V2A EB 60/200	E37 V2A EB 60/250	E37 V2A EB 60/300
8	E37 V2A 80/150	E37 V2A 80/200	E37 V2A 80/250	E37 V2A 80/300	E37 V2A EB 80/150	E37 V2A EB 80/200	E37 V2A EB 80/250	E37 V2A EB 80/300
11	E37 V2A 110/150	E37 V2A 110/200	E37 V2A 110/250	E37 V2A 110/300	E37 V2A EB 110/150	E37 V2A EB 110/200	E37 V2A EB 110/250	E37 V2A EB 110/300

Schlüter®-ECK-E V4A



stainless steel V4A

H (mm)	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.
8	E37 V4A 80/150	E37 V4A 80/200	E37 V4A 80/250	E37 V4A 80/300
11	E37 V4A 110/150	E37 V4A 110/200	E37 V4A 110/250	E37 V4A 110/300



Schlüter®-ECK-K

Schlüter-ECK-K is a stainless steel corner profile that is retrofitted to the external corners of tiled walls or other wall coverings.

**Schlüter®-ECK-K**

stainless steel V2A

B (mm)	Schlüter®-ECK-K-E				Schlüter®-ECK-K-E-S 135° angle			
	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.
15	K15 V2A/150	K15 V2A/200	K15 V2A/250	K15 V2A/300	—	—	—	—
32	K32 V2A/150	K32 V2A/200	K32 V2A/250	K32 V2A/300	K32 ES/150	K32 ES/200	K32 ES	K32 ES/300
50	K50 V2A/150	K50 V2A/200	K50 V2A/250	K50 V2A/300	—	—	—	—


Schlüter®-ECK-K

stainless steel V2A/V4A

B (mm)	Schlüter®-ECK-K-EB V2A brushed				Schlüter®-ECK-E V4A		
	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.
15	K15 V2A EB/150	K15 V2A EB/200	K15 V2A EB/250	K15 V2A EB/300	—	—	—
32	K32 V2A EB/150	K32 V2A EB/200	K32 V2A EB/250	K32 V2A EB/300	K32 V4A/150	K32 V4A/200	K32 V4A/250
50	K50 V2A EB/150	K50 V2A EB/200	K50 V2A EB/250	K50 V2A EB/300	—	—	—

Schlüter®-ECK-KHK

Schlüter-ECK-KHK is a cove-shaped stainless steel corner profile that is retrofitted to the internal corners of tiled walls or other wall coverings.



Accessories: internal/external corners, connectors

Schlüter®-ECK-KHK


stainless steel V2A

B (mm)	Schlüter®-ECK-KHK-E				Schlüter®-ECK-KHK-EB brushed			
	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.	L = 1.50 m Art. No.	L = 2.00 m Art. No.	L = 2.50 m Art. No.	L = 3.00 m Art. No.
15	KHK15 E/150	KHK15 E/200	KHK15 E	KHK15 E/300	KHK15 EB/150	KHK15 EB/200	KHK15 EB	KHK15 EB/300



Schlüter®-DESIGNLINE

Schlüter-DESIGNLINE is a border profile for creating attractive wall coverings. The range of profiles can be combined with the corresponding Schlüter-RONDEC profiles for external wall corners. The stainless steel profile can also be used in floor coverings.




Schlüter®-DESIGNLINE-E

stainless steel V2A

L (m)	Schlüter®-DESIGNLINE-E	Schlüter®-DESIGNLINE-EB brushed
	Art. No.	Art. No.
2.5	DL 625 E	DL 625 EB

Schlüter®-DECO-SG

Schlüter-DECO-SG is a decorative profile for joint design in tile coverings. It forms either a 12-mm or 15-mm-wide shadow gap. The profile is ideal for holding and fixing glass elements in the floor and wall area.




Schlüter®-DECO-SG-EB

brushed stainless steel V4A

H (mm)	B = 12 mm	B = 15 mm
	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	SG 80 EB 12	SG 80 EB 15
10	SG 100 EB 12	SG 100 EB 15
11	SG 110 EB 12	SG 110 EB 15
12.5	SG 125 EB 12	SG 125 EB 15

Schlüter®-DESIGNBASE-SL-E

Schlüter-DESIGNBASE-SL-E is a high-quality stainless steel profile to quickly create skirting covers in areas subjected to higher stresses. It is attached to the wall area with a suitable adhesive. The supplied connectors, also made of stainless steel, enable quick and convenient installation. Optionally, the profile can be equipped with a sealing lip that is available as an accessory to protect the edge joint from moisture and to reduce the transmission of impact sound.




Schlüter®-DESIGNBASE-SL-EB

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.
110	DB SL 110 EB
160	DB SL 160 EB

Schlüter®-FINEC

Schlüter-FINEC-E is a high-quality finishing profile for the external edges of tile coverings, mosaics or rendered surfaces. The anchoring leg of the profile protects the edge of the covering from mechanical damage with a slim, elegant corner formation.

**Schlüter®-FINEC-E**

stainless steel V2A


H (mm)	L = 2.50 m Art. No.
4.5	F 45 E
7	F 70 E
9	F 90 E
11	F 110 E
12.5	F 125 E



Accessories: Set comprising three parts


Schlüter®-SCHIENE-STEP-EB

Schlüter-SCHIENE-STEP-EB is a high-quality finishing profile made of brushed stainless steel. Thanks to its variable geometry, this profile can be used for a number of applications such as benchtops, stair edges, or to finish "tile on tile" restoration projects.

**Schlüter®-SCHIENE-STEP-EB**

brushed stainless steel V2A

H (mm)	H1 = 11 mm	H1 = 30 mm	H1 = 39 mm
	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.
6	SS 60 EB 11	—	SS 60 EB 39
9	—	SS 90 EB 30	SS 90 EB 39
11	—	SS 110 EB 30	SS 110 EB 39
12.5	SS 125 EB 11	SS 125 EB 30	SS 125 EB 39






Schlüter®-TREP

Stairs – permanently safe and stylish

The edges of stairs are exposed to heavy mechanical stresses and represent a high risk for injuries. Schlüter-TREP profiles enhance safety, thanks to their slip-resistant design and high visibility. They protect the edges of stairs from damage and therefore keep stair tile coverings intact.



Schlüter®-TREP-S


Schlüter-TREP-S-E is a stair nosing profile with a replaceable thermoplastic slip-resistant tread.

Schlüter®-TREP-S-E

narrow stainless steel support profile (26 mm) V2A, R 9

H (mm)	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
8	... * 8 SE/100	... * 8 SE/150	... * 8 SE
10	... * 10 SE/100	... * 10 SE/150	... * 10 SE
12.5	... * 12 SE/100	... * 12 SE/150	... * 12 SE

* To complete the art. no., add the colour



Colours: yellow, grey, graphite black, light beige, nut brown



Accessories: end caps


Schlüter®-TREP-E

Schlüter-TREP-E is a stainless steel stair nosing profile with an anti-slip surface.

Schlüter®-TREP-E

stainless steel V2A/V4A, R 10 V 6


H (mm)	Schlüter®-TREP-E V2A, R 10 V 6			Schlüter®-TREP-E V4A V4A, R 10 V 6		
	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
2	TE 20/100	TE 20/150	TE 20	—	—	—
3	TE 30/100	TE 30/150	TE 30	—	—	—
5	TE 50/100	TE 50/150	TE 50	—	—	—
8	TE 80/100	TE 80/150	TE 80	TE 80/100/V4A	TE 80/150/V4A	TE 80/V4A
9	TE 90/100	TE 90/150	TE 90	—	—	—
10	TE 100/100	TE 100/150	TE 100	—	—	—
11	TE 110/100	TE 110/150	TE 110	TE 110/100/V4A	TE 110/150/V4A	TE 110/V4A
13	TE 130/100	TE 130/150	TE 130	TE 130/100/V4A	TE 130/150/V4A	TE 130/V4A
16	TE 160/100	TE 160/150	TE 160	TE 160/100/V4A	TE 160/150/V4A	TE 160/V4A
22	TE 220/100	TE 220/150	TE 220	—	—	—
25	TE 250/100	TE 250/150	TE 250	—	—	—



Accessories: end caps

Schlüter®-TREP-EK

Schlüter-TREP-EK is a stainless steel stair nosing profile with a special anti-slip tread to create safe and attractive stair edges. It can be retrofitted to steps with tile or natural stone coverings.



Schlüter®-TREP-EK


stainless steel V2A, R 10 V 6

B (mm)	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
33	TEK/100	TEK/150	TEK



Schlüter®-TREP-FL

Schlüter-TREP-FL is a stair nosing profile in Florentine design for enhancing the safety and visual appeal of stair edges.



Accessories: end caps


Schlüter®-TREP-FL

stainless steel V2A

H (mm)	Schlüter®-TREP-FL-E			Schlüter®-TREP-FL-EB brushed		
	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
9	FL 90 E/100	FL 90 E/150	FL 90 E ③	FL 90 EB/100	FL 90 EB/150	FL 90 EB ③
11	FL 110 E/100	FL 110 E/150	FL 110 E ③	FL 110 EB/100	FL 110 EB/150	FL 110 EB ③
12.5	FL 125 E/100	FL 125 E/150	FL 125 E ③	FL 125 EB/100	FL 125 EB/150	FL 125 EB ③

Schlüter®-TREP-G/-GL

Schlüter-TREP-G / -GL is a stair nosing profile made of brushed stainless steel with an adhered, anti-slip tread.



Colours: graphite black, transparent



Accessories: end caps, self-adhesive tape

Schlüter®-TREP-G

brushed stainless steel V2A

H (mm)	Schlüter®-TREP-G-B wide (55 mm), R11			Schlüter®-TREP-G-S narrow (30 mm), R11		
	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
9	GB EB 90 ...*/100	GB EB 90 ...*/150	GB EB 90 ...*	GS EB 90 ...*/100	GS EB 90 ...*/150	GS EB 90 ...*
11	GB EB 110 ...*/100	GB EB 110 ...*/150	GB EB 110 ...*	GS EB 110 ...*/100	GS EB 110 ...*/150	GS EB 110 ...*
13	GB EB 130 ...*/100	GB EB 130 ...*/150	GB EB 130 ...*	GS EB 130 ...*/100	GS EB 130 ...*/150	GS EB 130 ...*
15	GB EB 150 ...*/100	GB EB 150 ...*/150	GB EB 150 ...*	GS EB 150 ...*/100	GS EB 150 ...*/150	GS EB 150 ...*

Schlüter®-TREP-GL


brushed stainless steel V2A

H (mm)	Schlüter®-TREP-GL-B wide (55 mm), R10			Schlüter®-TREP-GL-S narrow (30 mm), R10		
	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.	L = 1.00 m Art. No.	L = 1.50 m Art. No.	L = 2.50 m Art. No.
9	GLB EB 90 ...*/100	GLB EB 90 ...*/150	GLB EB 90 ...*	GLS EB 90 ...*/100	GLS EB 90 ...*/150	GLS EB 90 ...*
11	GLB EB 110 ...*/100	GLB EB 110 ...*/150	GLB EB 110 ...*	GLS EB 110 ...*/100	GLS EB 110 ...*/150	GLS EB 110 ...*
13	GLB EB 130 ...*/100	GLB EB 130 ...*/150	GLB EB 130 ...*	GLS EB 130 ...*/100	GLS EB 130 ...*/150	GLS EB 130 ...*
15	GLB EB 150 ...*/100	GLB EB 150 ...*/150	GLB EB 150 ...*	GLS EB 150 ...*/100	GLS EB 150 ...*/150	GLS EB 150 ...*

* To complete the art. no., add the colour

Schlüter®-TREP-GK / -GLK

Schlüter-TREP-GK is a stair nosing profile made of brushed stainless steel with an adhered, anti-slip tread. It can be retrofitted to steps with tile or natural stone coverings.



Colours: graphite black, transparent



Accessories: self-adhesive tape

Schlüter®-TREP-GK / -GLK


brushed stainless steel V2A

L (m)	Schlüter®-TREP-GK-B wide (59 mm), R11	Schlüter®-TREP-GK-S narrow (34 mm), R11	Schlüter®-TREP-GLK-B wide (59 mm), R10	Schlüter®-TREP-GLK-S narrow (34 mm), R10
	Art. No.	Art. No.	Art. No.	Art. No.
1.00	GB EBK ...*/100	GS EBK ...*/100	GLB EBK ...*/100	GLS EBK ...*/100
1.50	GB EBK ...*/150	GS EBK ...*/150	GLB EBK ...*/150	GLS EBK ...*/150
2.50	GB EBK ...*	GS EBK ...*	GLB EBK ...*	GLS EBK ...*

* To complete the art. no., add the colour

Schlüter®-TREP-EFK

Schlüter-TREP-EFK is a stainless steel stair nosing profile with a special anti-slip tread to create safe and attractive stair edges. It can be adhered with installation adhesive in the corresponding milled grooves or subsequently on stair steps.



Schlüter®-TREP-EFK

stainless steel V4A

B (mm)	L = 2.50 m Art. No.
56.5	TEF 56K/V4A



Schlüter®-DILEX


Movement and control joint profiles

The profiles of our Schlüter-DILEX range offer maintenance-free and functional solutions for all relevant movement joints in tile coverings. The range includes profile types for structural joints, control joints, and edge and connection joints. All profiles are installed at the same time as the tile covering. A wide variety of Schlüter-DILEX profiles in various material combinations are available in accordance with the anticipated mechanical or chemical stresses on the covering.



Schlüter®-DILEX-EMP

Schlüter-DILEX-EMP is a stainless steel movement profile for screeds with a tongue and groove connection that can absorb horizontal movements.




Schlüter®-DILEX-EMP

stainless steel V2A

H (mm)	L = 2.50 m Art. No.
35	EMP 35
50	EMP 50
65	EMP 65

Schlüter®-DILEX-KSBT

Schlüter-DILEX-KSBT is a structural movement profile with edge protection, consisting of side fastening legs connected to a 20-mm- or 30-mm-wide movement zone made of soft synthetic rubber.



Colours: cream, dark anthracite, joint grey, grey, graphite black, light beige, stone grey



Accessories: movement zone inlays, cross joint inlays, stainless steel inlays in the expansion zone for KSBT 30

Schlüter®-DILEX-EKSBT

stainless steel V2A/V4A


H (mm)	Schlüter®-DILEX-EKSBT 20	Schlüter®-DILEX-EKSBT 30	Schlüter®-DILEX-EKSBT 20 V4A	Schlüter®-DILEX-EKSBT 30 V4A
	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	KS V2A 80 BT 20 ...*	KS V2A 80 BT 30 ...*	KS V4A 80 BT 20 ...*	KS V4A 80 BT 30 ...*
10	KS V2A 100 BT 20 ...*	KS V2A 100 BT 30 ...*	KS V4A 100 BT 20 ...*	KS V4A 100 BT 30 ...*
11	KS V2A 110 BT 20 ...*	KS V2A 110 BT 30 ...*	KS V4A 110 BT 20 ...*	KS V4A 110 BT 30 ...*
12.5	KS V2A 125 BT 20 ...*	KS V2A 125 BT 30 ...*	KS V4A 125 BT 20 ...*	KS V4A 125 BT 30 ...*
14	KS V2A 140 BT 20 ...*	KS V2A 140 BT 30 ...*	KS V4A 140 BT 20 ...*	KS V4A 140 BT 30 ...*
16	KS V2A 160 BT 20 ...*	KS V2A 160 BT 30 ...*	KS V4A 160 BT 20 ...*	KS V4A 160 BT 30 ...*
18.5	KS V2A 185 BT 20 ...*	KS V2A 185 BT 30 ...*	—	—
21	KS V2A 210 BT 20 ...*	KS V2A 210 BT 30 ...*	—	—
25	KS V2A 250 BT 20 ...*	KS V2A 250 BT 30 ...*	—	—
30	KS V2A 300 BT 20 ...*	KS V2A 300 BT 30 ...*	—	—

* To complete the art. no., add the colour



Schlüter®-DILEX-EDP

Schlüter-DILEX-EDP is a stainless steel movement profile that absorbs horizontal movement through a tongue-and-groove connection.




Schlüter®-DILEX-EDP

stainless steel V2A

H (mm)	L = 2.50 m Art. No.
10	EDP 100
11	EDP 110
12.5	EDP 125
16	EDP 160
21	EDP 210

Schlüter®-DILEX-KS

Schlüter-DILEX-KS is a movement profile with edge protection consisting of side fastening legs that are connected to a replaceable movement zone made of soft synthetic material.



Colours: cream, dark anthracite, joint grey, grey, graphite black, light beige, pastel grey, stone grey



Accessories: cross joint inlays, movement zone inlays

Schlüter®-EКСN


stainless steel V2A/V4A

H (mm)	Schlüter®-DILEX-EКСN	Schlüter®-DILEX-EКСN V4A
	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	EКСN 80 ...*	EКСN 80 ...* / V4A
10	EКСN 100 ...*	EКСN 100 ...* / V4A
11	EКСN 110 ...*	EКСN 110 ...* / V4A
12.5	EКСN 125 ...*	EКСN 125 ...* / V4A
14	EКСN 140 ...*	EКСN 140 ...* / V4A
16	EКСN 160 ...*	EКСN 160 ...* / V4A
18.5	EКСN 185 ...*	—
21	EКСN 210 ...*	EКСN 210 ...* / V4A
25	EКСN 250 ...*	—
30	EКСN 300 ...*	—

* To complete the art. no., add the colour

Schlüter®-DILEX-EKSB

Schlüter-DILEX-EKSB is a movement profile with edge protection for coatings and other thin floor coverings. It consists of side stainless steel fastening legs that are connected to a fixed movement zone made of soft synthetic material.



Schlüter®-DILEX-EKSB

stainless steel V2A

H (mm)	L = 2.50 m Art. No.
2.5	EKSB 25 ...*
4.5	EKSB 45 ...*
6	EKSB 60 ...*


Colours: cream, dark anthracite, joint grey, grey, graphite black, light beige, pastel grey, stone grey



* To complete the art. no., add the colour

Schlüter®-DILEX-KSA

Schlüter-DILEX-KSA is a joining profile with edge protection, consisting of a side fastening leg that is connected to a replaceable movement zone made of soft synthetic material. The profile is used for creating transitions between coverings and fixed structures such as window frames.



Accessories: Inlay

Schlüter®-DILEX-EKSA

stainless steel V2A/V4A

H (mm)	Schlüter®-DILEX-EKSA	Schlüter®-DILEX-EKSA V4A
	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	EKSA 80 ...*	EKSA 80 ...* / V4A
10	EKSA 100 ...*	EKSA 100 ...* / V4A
11	EKSA 110 ...*	EKSA 110 ...* / V4A
12.5	EKSA 125 ...*	EKSA 125 ...* / V4A
14	EKSA 140 ...*	EKSA 140 ...* / V4A
16	EKSA 160 ...*	EKSA 160 ...* / V4A
18.5	EKSA 185 ...*	—
21	EKSA 210 ...*	—
25	EKSA 250 ...*	—
30	EKSA 300 ...*	—

Colours: grey, graphite black, light beige, pastel grey





* To complete the art. no., add the colour



Schlüter®-DILEX-HKS

Schlüter-DILEX-HKS-E is a combination of a stainless steel cove and a flexible movement joint profile for floor/wall connections (or wall transition) in tile coverings.

Colours: grey, graphite black, light beige, pastel grey



Accessories: connectors, internal/external corners

Schlüter®-DILEX-HKS-E



stainless steel V2A/V4A

U (mm)	Schlüter®-DILEX-HKS-E V2A, L = 2.50 m			Schlüter®-DILEX-HKS-E V4A V4A, L = 2.50 m		
	0 = 7 mm Art. No.	0 = 9 mm Art. No.	0 = 11 mm Art. No.	0 = 7 mm Art. No.	0 = 9 mm Art. No.	0 = 11 mm Art. No.
8	HKS V2A U 8 / 0 7 ...*	HKS V2A U 8 / 0 9 ...*	HKS V2A U 8 / 0 11 ...*	HKS V4A U 8 / 0 7 ...*	HKS V4A U 8 / 0 9 ...*	HKS V4A U 8 / 0 11 ...*
10	HKS V2A U 10 / 0 7 ...*	HKS V2A U 10 / 0 9 ...*	HKS V2A U 10 / 0 11 ...*	HKS V4A U 10 / 0 7 ...*	HKS V4A U 10 / 0 9 ...*	HKS V4A U 10 / 0 11 ...*
12.5	HKS V2A U 12 / 0 7 ...*	HKS V2A U 12 / 0 9 ...*	HKS V2A U 12 / 0 11 ...*	HKS V4A U 12 / 0 7 ...*	HKS V4A U 12 / 0 9 ...*	HKS V4A U 12 / 0 11 ...*
14	HKS V2A U 14 / 0 7 ...*	HKS V2A U 14 / 0 9 ...*	HKS V2A U 14 / 0 11 ...*	HKS V4A U 14 / 0 7 ...*	HKS V4A U 14 / 0 9 ...*	HKS V4A U 14 / 0 11 ...*
16	HKS V2A U 16 / 0 7 ...*	HKS V2A U 16 / 0 9 ...*	HKS V2A U 16 / 0 11 ...*	HKS V4A U 16 / 0 7 ...*	HKS V4A U 16 / 0 9 ...*	HKS V4A U 16 / 0 11 ...*
18	HKS V2A U 18 / 0 7 ...*	HKS V2A U 18 / 0 9 ...*	HKS V2A U 18 / 0 11 ...*	—	—	—
21	HKS V2A U 21 / 0 7 ...*	HKS V2A U 21 / 0 9 ...*	HKS V2A U 21 / 0 11 ...*	—	—	—
25	HKS V2A U 25 / 0 7 ...*	HKS V2A U 25 / 0 9 ...*	HKS V2A U 25 / 0 11 ...*	—	—	—
30	HKS V2A U 30 / 0 7 ...*	HKS V2A U 30 / 0 9 ...*	HKS V2A U 30 / 0 11 ...*	—	—	—

* To complete the art. no., add the colour

Schlüter®-DILEX-EHK

Schlüter-DILEX-EHK is a cove profile made entirely of stainless steel for internal wall corners and floor/wall transitions with demanding hygiene requirements.



Accessories: internal/external corners, connectors






Schlüter®-TREP-DILEX-EHK

stainless steel V2A/V4A

H (mm)	Schlüter®-DILEX-EHK V2A	Schlüter®-DILEX-EBHK V2A brushed	Schlüter®-DILEX-EHK V4A V4A
	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.
7	EHK U 7 / 0 7	EBHK U 7 / 0 7	EHK U 7 / 0 7 / V4A
9	EHK U 9 / 0 9	EBHK U 9 / 0 9	EHK U 9 / 0 9 / V4A
11	EHK U 11 / 0 11	EBHK U 11 / 0 11	EHK U 11 / 0 11 / V4A
16	—	—	EHK U 16 / 0 16 / V4A

Schlüter®-DILEX-HKU

Schlüter-DILEX-HKU is a cove profile made entirely of stainless steel for internal wall corners and floor/wall transitions with stringent hygiene requirements. Due to its inner fastening leg, the profile can be used for various tile thicknesses.



Accessories: internal/external corners, connectors,

Accessories: internal/external corners, connectors,

Schlüter®-DILEX-HKU

stainless steel V2A/V4A

H (mm)	Schlüter®-DILEX-HKU 10-E V2A	Schlüter®-DILEX-HKU 10-EB V2A brushed	Schlüter®-DILEX-HKU 10-E V4A V4A	Schlüter®-DILEX-HKU 36-E V2A
	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.	L = 2.50 m Art. No.
8	HKUR 10 E	HKUR 10 EB	HKUR 10 E / V4A	—
11	—	—	—	HKUR 36 E



Schlüter®-KERDI-LINE/-DRAIN


Drainage in style

Schlüter-Systems offers a complete set of tools for the construction of level-access showers with ceramic tiles and natural stone. Whether conventional point drainage or contemporary linear drainage systems – Schlüter-KERDI-DRAIN and Schlüter-KERDI-LINE are certain to offer the right solution. Moreover, our Schlüter-SHOWERPROFILE triangular profiles and wall connection profiles add elegant and practical finishes with an impressive fit.



Schlüter®-KERDI-LINE-VARIO WAVE


Schlüter-KERDI-LINE-VARIO WAVE is a W-shaped drainage profile, which can be cut to size, for use with a Schlüter-KERDI-LINE-VARIO-H body.



Schlüter®-KERDI-LINE-VARIO WAVE 42

Drainage profile, WAVE design (D 10), brushed stainless steel V4A

L (cm)	H = 10 mm Art. No.
120	KL VR1 D10 EB 120
180	KL VR1 D10 EB 180



Schlüter®-KERDI-LINE-VARIO COVE



Schlüter-KERDI-LINE-VARIO COVE is a cove drainage profile, which can be cut to size, for use with a Schlüter-KERDI-LINE-VARIO-H body.



Schlüter®-KERDI-LINE-VARIO COVE 26

Drainage profile, COVE design (D 9), brushed stainless steel V4A



L (cm)	H = 7 mm Art. No.
120	KL VR D9 EB 120
180	KL VR D9 EB 180



Schlüter®-KERDI-LINE-VARIO COVE 34

Drainage profile, COVE design (D 9), brushed stainless steel V4A


L (cm)	H = 7 mm Art. No.
120	KL VR1 D9 EB 120
180	KL VR1 D9 EB 180





Schlüter®-KERDI-LINE-H

Schlüter-KERDI-LINE-H is a complete set for linear level-access showers with a horizontal drain (DN 40 / DN 50). It can be universally used for intermediate installation in floor or wall areas.



Schlüter®-KERDI-LINE-H 40


stainless steel V4A linear drainage set with odour trap, horizontal DN 40 drain

L (cm)	L1 (cm)	Art. No.
50	55	KLH 40 GE 50
60	65	KLH 40 GE 60
70	75	KLH 40 GE 70
80	85	KLH 40 GE 80
90	95	KLH 40 GE 90
100	105	KLH 40 GE 100
110	115	KLH 40 GE 110
120	125	KLH 40 GE 120
130	135	KLH 40 GE 130
140	145	KLH 40 GE 140
150	155	KLH 40 GE 150
160	165	KLH 40 GE 160
170	175	KLH 40 GE 170
180	185	KLH 40 GE 180

Schlüter®-KERDI-LINE-H 50


stainless steel V4A linear drainage set with odour trap, horizontal DN 50 drain

L (cm)	L1 (cm)	Art. No.
50	55	KLH 50 GE 50
60	65	KLH 50 GE 60
70	75	KLH 50 GE 70
80	85	KLH 50 GE 80
90	95	KLH 50 GE 90
100	105	KLH 50 GE 100
110	115	KLH 50 GE 110
120	125	KLH 50 GE 120
130	135	KLH 50 GE 130
140	145	KLH 50 GE 140
150	155	KLH 50 GE 150
160	165	KLH 50 GE 160
170	175	KLH 50 GE 170
180	185	KLH 50 GE 180



Schlüter®-KERDI-LINE-H 50 G2


Schlüter-KERDI-LINE-H 50 G2 is a complete set for linear level-access showers with a horizontal drain. It can be universally used for intermediate installation in floor or wall areas.



Schlüter®-KERDI-LINE-H 50 G2



stainless steel V4A linear drainage set with odour trap, horizontal DN 50 drain

L (cm)	L1 (cm)	Art. No.
50	55	KLH 50 G2E 50
60	65	KLH 50 G2E 60
70	75	KLH 50 G2E 70
80	85	KLH 50 G2E 80
90	95	KLH 50 G2E 90
100	105	KLH 50 G2E 100
110	115	KLH 50 G2E 110
120	125	KLH 50 G2E 120
130	135	KLH 50 G2E 130
140	145	KLH 50 G2E 140
150	155	KLH 50 G2E 150
160	165	KLH 50 G2E 160
170	175	KLH 50 G2E 170
180	185	KLH 50 G2E 180



Schlüter®-KERDI-LINE-V

Schlüter-KERDI-LINE-V is a complete set for linear level-access showers with a vertical drain. It can be universally used for intermediate installation in floor or wall areas.




Example: KERDI-LINE-VS

Schlüter®-KERDI-LINE-V / -VS

stainless steel V4A linear drainage set, vertical DN 50 drain


L (cm)	L1 (cm)	Schlüter®-KERDI-LINE-V with odour trap	Schlüter®-KERDI-LINE-VS with pipe siphon
		Art. No.	Art. No.
50	55	KLV 50 GE 50	KLV 50 GSE 50
60	65	KLV 50 GE 60	KLV 50 GSE 60
70	75	KLV 50 GE 70	KLV 50 GSE 70
80	85	KLV 50 GE 80	KLV 50 GSE 80
90	95	KLV 50 GE 90	KLV 50 GSE 90
100	105	KLV 50 GE 100	KLV 50 GSE 100
110	115	KLV 50 GE 110	KLV 50 GSE 110
120	125	KLV 50 GE 120	KLV 50 GSE 120
130	135	KLV 50 GE 130	KLV 50 GSE 130
140	145	KLV 50 GE 140	KLV 50 GSE 140
150	155	KLV 50 GE 150	KLV 50 GSE 150
160	165	KLV 50 GE 160	KLV 50 GSE 160
170	175	KLV 50 GE 170	KLV 50 GSE 170
180	185	KLV 50 GE 180	KLV 50 GSE 180



Schlüter®-KERDI-LINE-VOS

stainless steel linear drainage set V4A with pipe siphon,
off-centre drainage, vertical drain DN 50



L (cm)	L1 (cm)	Art. No.
70	75	KLVO 50 GSE 70
80	85	KLVO 50 GSE 80
90	95	KLVO 50 GSE 90
100	105	KLVO 50 GSE 100
110	115	KLVO 50 GSE 110
120	125	KLVO 50 GSE 120





Schlüter®-KERDI-LINE-V 50 G2

Schlüter-KERDI-LINE-V 50 G2 is a complete set for linear level-access showers with a vertical drain. It can be universally used for intermediate installation in floor or at wall areas.



Schlüter®-KERDI-LINE-V 50 G2


stainless steel V4A linear drainage set
with odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	Art. No.
50	55	KLV 50 G2E 50
60	65	KLV 50 G2E 60
70	75	KLV 50 G2E 70
80	85	KLV 50 G2E 80
90	95	KLV 50 G2E 90
100	105	KLV 50 G2E 100
110	115	KLV 50 G2E 110

Schlüter®-KERDI-LINE-V 50 G2


stainless steel V4A linear drainage set
with odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	Art. No.
120	125	KLV 50 G2E 120
130	135	KLV 50 G2E 130
140	145	KLV 50 G2E 140
150	155	KLV 50 G2E 150
160	165	KLV 50 G2E 160
170	175	KLV 50 G2E 170
180	185	KLV 50 G2E 180



Schlüter®-SHOWERPROFILE-R

Schlüter-SHOWERPROFILE-R is a two-part wall connection profile for covering the wall area above a linear drainage system that is exposed due to the slope. The visible surface of the profile consists of brushed stainless steel. A fleece fabric is attached on the underside for anchoring in the tile adhesive.



Colours:

matte brilliant white, matte graphite black



Colours with textured finish:

beige grey, cream, dark anthracite, grey, ivory, bronze, stone grey



Schlüter®-SHOWERPROFILE-RA


2-part wall transition profile, stainless steel V4A

H (mm)	Schlüter®-SHOWERPROFILE-RA brushed			Schlüter®-SHOWERPROFILE-RA colour coated		
	L = 1.00 m Art. No.	L = 1.40 m Art. No.	L = 2.00 m Art. No.	L = 1.00 m Art. No.	L = 1.40 m Art. No.	L = 2.00 m Art. No.
23-35	SPRA 23 EB/100	SPRA 23 EB/140	SPRA 23 EB/200	SPRA 23 ...*/100	SPRA 23 ...*/140	SPRA 23 ...*/200
33-45	SPRA 33 EB/100	SPRA 33 EB/140	SPRA 33 EB/200	SPRA 33 ...*/100	SPRA 33 ...*/140	SPRA 33 ...*/200

*To complete the art. no., add the finish/colour

Schlüter®-SHOWERPROFILE-S

Schlüter-SHOWERPROFILE-S is a triangular profile made of brushed or powder coated stainless steel with a 1.25% or 2% slope for covering the sloped sides of floor-level showers.



Colours:

matte brilliant white, matte graphite black

MBW MGS

Colours with textured finish:

beige grey, cream, dark anthracite, grey, ivory, bronze, stone grey

TSBG TSC TSDA TSG TSI TSOB TSSG

Heights: H1 = 6, 10 mm, H2 = 30–50 mm

Schlüter®-SHOWERPROFILE-S

PVC triangular support profile, stainless steel V4A

H (mm)	Schlüter®-SHOWERPROFILE-SPS 50 brushed, H1 = 6 mm			Schlüter®-SHOWERPROFILE-SPS 50 colour coated, H1 = 6 mm		
	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.
5	SPSA 50 EB/200	SPSA 50 EB/160	SPSA 50 EB/120	SPSA 50 ...*/200	SPSA 50 ...*/160	SPSA 50 ...*/120

H (mm)	Schlüter®-SHOWERPROFILE-SPS 100 brushed, H1 = 10 mm			Schlüter®-SHOWERPROFILE-SPS 100 colour coated, H1 = 10 mm		
	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.
10	SPSB 100 EB/200	SPSB 100 EB/160	SPSB 100 EB/120	SPSB 100 ...*/200	SPSB 100 ...*/160	SPSB 100 ...*/120


H (mm)	Schlüter®-SHOWERPROFILE-SPS 125 brushed, H1 = 10 mm			Schlüter®-SHOWERPROFILE-SPS 125 colour coated, H1 = 10 mm		
	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.	L = 2.00 m Art. No.	L = 1.60 m Art. No.	L = 1.20 m Art. No.
12.5	SPSB 125 EB/200	SPSB 125 EB/160	SPSB 125 EB/120	SPSB 125 ...*/200	SPSB 125 ...*/160	SPSB 125 ...*/120

*To complete the art. no., add the finish/colour

Schlüter®-SHOWERPROFILE-SPSC 50

PVC triangular carrier profile, (1.25% slope), brushed stainless steel V4A, H1 = 6 mm






H (mm)	L = 2.49 m Art. No.
5	SPSC 50 EB/249





Schlüter®-KERDI-LINE-A / -B / -C

Schlüter-KERDI-LINE (KLA, KLB, KLC) are profile frames made of brushed, polished or powder-coated stainless steel with design covers that match KERDI-LINE channel bodies, and are also available with customised engraving (My Schlüter-KERDI-LINE).



Schlüter®-KERDI-LINE-A

SOLID design, brushed stainless steel V4A,
19 mm frame / 30 mm frame

L (cm)	H = 19 mm Art. No.	H = 30 mm Art. No.
50	KLA 19 EB 50	KLA 30 EB 50
60	KLA 19 EB 60	KLA 30 EB 60
70	KLA 19 EB 70	KLA 30 EB 70
80	KLA 19 EB 80	KLA 30 EB 80
90	KLA 19 EB 90	KLA 30 EB 90
100	KLA 19 EB 100	KLA 30 EB 100
110	KLA 19 EB 110	KLA 30 EB 110
120	KLA 19 EB 120	KLA 30 EB 120
130	KLA 19 EB 130	–
140	KLA 19 EB 140	–
150	KLA 19 EB 150	–
160	KLA 19 EB 160	–
170	KLA 19 EB 170	–
180	KLA 19 EB 180	–

Note: H = 19 mm for covering thicknesses 3–15 mm

Note: H = 30 mm for covering thicknesses 13–25 mm

Schlüter®-KERDI-LINE-B

SQUARE design, brushed stainless steel V4A,
19 mm frame / 30 mm frame




L (cm)	H = 19 mm Art. No.	H = 30 mm Art. No.
50	KLB 19 EB 50	KLB 30 EB 50
60	KLB 19 EB 60	KLB 30 EB 60
70	KLB 19 EB 70	KLB 30 EB 70
80	KLB 19 EB 80	KLB 30 EB 80
90	KLB 19 EB 90	KLB 30 EB 90
100	KLB 19 EB 100	KLB 30 EB 100
110	KLB 19 EB 110	KLB 30 EB 110
120	KLB 19 EB 120	KLB 30 EB 120
130	KLB 19 EB 130	–
140	KLB 19 EB 140	–
150	KLB 19 EB 150	–
160	KLB 19 EB 160	–
170	KLB 19 EB 170	–
180	KLB 19 EB 180	–

Schlüter®-KERDI-LINE-C

FRAMED TILE design, brushed stainless steel V4A,
19 mm frame

L (cm)	H = 19 mm Art. No.
50	KLCA 19 EB 50
60	KLCA 19 EB 60
70	KLCA 19 EB 70
80	KLCA 19 EB 80
90	KLCA 19 EB 90
100	KLCA 19 EB 100
110	KLCA 19 EB 110
120	KLCA 19 EB 120
130	KLCA 19 EB 130
140	KLCA 19 EB 140
150	KLCA 19 EB 150
160	KLCA 19 EB 160
170	KLCA 19 EB 170
180	KLCA 19 EB 180

Note: Tile pan (design C) suitable for tile thicknesses up to 15 mm



Schlüter®-KERDI-LINE-A

SOLID design, 19 mm frame,
polished stainless steel V4A

L (cm)	H = 19 mm Art. No.
50	KLA 19 EP 50
60	KLA 19 EP 60
70	KLA 19 EP 70
80	KLA 19 EP 80
90	KLA 19 EP 90
100	KLA 19 EP 100
110	KLA 19 EP 110
120	KLA 19 EP 120

Schlüter®-KERDI-LINE-B




SQUARE design, 19 mm frame,
polished stainless steel V4A

L (cm)	H = 19 mm Art. No.
50	KLB 19 EP 50
60	KLB 19 EP 60
70	KLB 19 EP 70
80	KLB 19 EP 80
90	KLB 19 EP 90
100	KLB 19 EP 100
110	KLB 19 EP 110
120	KLB 19 EP 120

Schlüter®-KERDI-LINE-C

FRAMED TILE design, 19 mm frame,
polished stainless steel V4A

L (cm)	H = 19 mm Art. No.
50	KLCA 19 EP 50
60	KLCA 19 EP 60
70	KLCA 19 EP 70
80	KLCA 19 EP 80
90	KLCA 19 EP 90
100	KLCA 19 EP 100
110	KLCA 19 EP 110
120	KLCA 19 EP 120



Schlüter®-KERDI-LINE-A

SOLID design, 19 mm frame,
stainless steel V4A
colour coated * / with textured coating **

L (cm)	H = 19 mm Art. No.
50	KLA 19 ... 50
60	KLA 19 ... 60
70	KLA 19 ... 70
80	KLA 19 ... 80
90	KLA 19 ... 90
100	KLA 19 ... 100
110	KLA 19 ... 110
120	KLA 19 ... 120

Schlüter®-KERDI-LINE-B

SQUARE design, 19 mm frame,
stainless steel V4A
colour coated * / with textured coating **

L (cm)	H = 19 mm Art. No.
50	KLB 19 ... 50
60	KLB 19 ... 60
70	KLB 19 ... 70
80	KLB 19 ... 80
90	KLB 19 ... 90
100	KLB 19 ... 100
110	KLB 19 ... 110
120	KLB 19 ... 120

Schlüter®-KERDI-LINE-C

FRAMED TILE design, 19 mm frame,
stainless steel V4A
colour coated * / with textured coating **

L (cm)	H = 19 mm Art. No.
50	KLCA 19 ... 50
60	KLCA 19 ... 60
70	KLCA 19 ... 70
80	KLCA 19 ... 80
90	KLCA 19 ... 90
100	KLCA 19 ... 100
110	KLCA 19 ... 110
120	KLCA 19 ... 120

Note: H = 19 mm for covering thicknesses 3–15 mm

To complete the art. no., add the finish/colour (e.g. KLCA 19 TSOB 120)

* Finishes/colours: MBW - MGS

** Finishes/colours: TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG

Colours: matte brilliant white, matte graphite black

MBW MGS

Colours with textured finish: beige grey, cream, dark anthracite, grey, ivory, bronze, stone grey






TSBG TSC TSDA TSG TSI TSOB TSSG

Note: Tile pan (design C) suitable for tile thicknesses up to 15 mm.



Schlüter®-KERDI-LINE-STYLE

Schlüter-KERDI-LINE-STYLE are contour frames with elegant design covers made of brushed stainless steel. The slim contour frame is infinitely adjustable for covering materials in thicknesses from 6 to 18 mm.



Schlüter®-KERDI-LINE

brushed stainless steel V4A

L (cm)	Schlüter®-KERDI-LINE-IF-E FLORAL design, 23 mm frame	Schlüter®-KERDI-LINE-IF-F CURVE design, 23 mm frame	Schlüter®-KERDI-LINE-IF-G PURE design, 23 mm frame
	H = 23 mm Art. No.	H = 23 mm Art. No.	H = 23 mm Art. No.
50	KLIFE 23 EB 50	KLIFF 23 EB 50	KLIFG 23 EB 50
60	KLIFE 23 EB 60	KLIFF 23 EB 60	KLIFG 23 EB 60
70	KLIFE 23 EB 70	KLIFF 23 EB 70	KLIFG 23 EB 70
80	KLIFE 23 EB 80	KLIFF 23 EB 80	KLIFG 23 EB 80
90	KLIFE 23 EB 90	KLIFF 23 EB 90	KLIFG 23 EB 90
100	KLIFE 23 EB 100	KLIFF 23 EB 100	KLIFG 23 EB 100
110	KLIFE 23 EB 110	KLIFF 23 EB 110	KLIFG 23 EB 110
120	KLIFE 23 EB 120	KLIFF 23 EB 120	KLIFG 23 EB 120





Schlüter®-KERDI-DRAIN

Schlüter-KERDI-DRAIN grates are designer grates made of solid stainless steel, for replacement or exchange in existing installations in tiled floors.

Note:

Covers are only interchangeable within the corresponding frame design.

L x B = cm corresponds to frame size

Schlüter®-KERDI-DRAIN Grates

Spare part: individual grates for standard frames stainless steel

L x B (cm)	Art. No.
10 x 10	KD GR 10 E D1 S
10 x 10	KD GR 10 V4A D1 S
10 x 10	KD GR 10 EP D1 S
10 x 10	KD GR 10 E D1
10 x 10	KD GR 10 E D2
10 x 10	KD GR 10 E D3
10 x 10	KD GR 10 E D4
15 x 15	KD GR 15 E D1 S
15 x 15	KD GR 15 E D1 SR

Schlüter®-KERDI-DRAIN Grates

Spare part: individual grates for standard frames stainless steel
colour coated * / with textured coating **

L x B (cm)	Art. No.
10 x 10	KD GR 10 ...* D3
10 x 10	KD GR 10 ...** D3

To complete the art. no., add the finish/colour (e.g. KLCA 19 TSOB 120)

* Finishes/colours: MBW - MGS

** Finishes/colours:

TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG

Colours:

matte brilliant white, matte graphite black



Colours with textured finish:

beige grey, cream, dark anthracite, grey, ivory, bronze, stone grey



KD GR 10 E D1 S
CLASSIC



KD GR 10 V4A D1 S
CLASSIC



KD GR 10 EP D1 S
CLASSIC



KD GR 10 E D1
CLASSIC



KD GR 10 E D2
TRAPEZOID



KD GR 10 E D3
SQUARE




KD GR 10 E D4
TILE



KD GR 15 E D1 S
CLASSIC



KD GR 15 E D1 SR
CLASSIC ROUND



Example: Design 3 with height adjustment ring
KD R10 ED3



Example: Floor drain KD BV 100 with Design 3
KD R10 ED3

Note:

Possible combinations of KERDI-DRAIN grate/frames with our drains can be found in our main price list.



Schlüter®-KERDI-DRAIN-STYLE

Schlüter-KERDI-DRAIN-STYLE grates are designer grates made of solid brushed stainless steel, for replacement or exchange in existing installations in tiled floors.

Note:

Covers are only interchangeable within the corresponding frame design.

L x B = cm corresponds to frame size

Schlüter®-KERDI-DRAIN-STYLE Grates

Spare part: individual grates for contour frames stainless steel

L x B (cm)	Art. No.
10 x 10	KD GIF 10 EB D5
10 x 10	KD GIF 10 EB D6
10 x 10	KD GIF 10 EB D7

Schlüter®-KERDI-DRAIN-STYLE Grates


Spare part: individual grates for standard frames stainless steel
colour coated * / with textured coating **

L x B (cm)	Art. No.
10 x 10	KD GIF 10 ...* D5
10 x 10	KD GIF 10 ...** D5
10 x 10	KD GIF 10 ...* D6
10 x 10	KD GIF 10 ...** D6
10 x 10	KD GIF 10 ...* D7
10 x 10	KD GIF 10 ...** D7

To complete the art. no., add the finish/colour (e.g. KLCA 19 TSOB 120)

* Finishes/colours: MBW - MGS

** Finishes/colours:
TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG



KD GIF 10 EB D5
FLORAL



KD GIF 10 EB D6
CURVE



KD GIF 10 EB D7
PURE

Colours:

matte brilliant white, matte graphite black



Colours with textured finish:

beige grey, cream, dark anthracite, grey, ivory, bronze, stone grey



Example: Design 6 – CURVE with height adjustment ring
KD IF10 EB D6



Example: Floor drain kd bh 40 with Design 7
KD GIF 10 EB D7

Note:

Possible combinations of KERDI-DRAIN grate/frames with our drains can be found in our main price list.



Schlüter®-SHELF

Attractive, stable and quick to install


Schlüter-SHELF is a stylish addition to showers and much more. The shelf in elegant STYLE design offers practical storage whatever tiles are to be installed or already exist. Available in brushed stainless steel or aluminium with TRENDLINE powder coating. Five elegant, modern designs: FLORAL, CURVE, PURE, SQUARE and WAVE in five different formats.





Schlüter®-SHELF-E-S1






Schlüter-SHELF-E are triangular shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the material brushed stainless steel. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs.



Schlüter®-SHELF-E-S1-EB

shelf, brushed stainless steel V2A


PURE design	SQUARE design	WAVE design	FLORAL design	CURVE Design
Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
SE S1 D7 EB	SE S1 D3 EB	SE S1 D10 EB	SE S1 D5 EB	SE S1 D6 EB





Schlüter®-SHELF-E-S2






Schlüter-SHELF-E are pentagonal shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the material brushed stainless steel. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs.



Schlüter®-SHELF-E-S2-EB


shelf, brushed stainless steel V2A

PURE design	SQUARE design	WAVE design	FLORAL design	CURVE Design
Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
SE S2 D7 EB	SE S2 D3 EB	SE S2 D10 EB	SE S2 D5 EB	SE S2 D6 EB



Schlüter®-SHELF-E-S3






Schlüter-SHELF-E-S3 are quadrangular shelves with asymmetrical side lengths for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the material brushed stainless steel. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs.



Schlüter®-SHELF-E-S3-EB

shelf, brushed stainless steel V2A


PURE design	SQUARE design	WAVE design	FLORAL design	CURVE Design
Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
SE S3 D7 EB	SE S3 D3 EB	SE S3 D10 EB	SE S3 D5 EB	SE S3 D6 EB





Schlüter®-SHELF-N

Schlüter-SHELF-N are rectangular shelves for use in prefabricated Schlüter-KERDI-BOARD-N niches. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the material brushed stainless steel. They are precisely fitted as a shelf in KERDI-BOARD-N niches during tile installation.



SQUARE - EB


Schlüter®-SHELF-N-S1-EB

shelf, brushed stainless steel V2A


PURE design	SQUARE design	WAVE design	FLORAL design	CURVE Design
Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
SN S1 D7 EB	SN S1 D3 EB	SN S1 D10 EB	SN S1 D5 EB	SN S1 D6 EB




PURE - EB




SQUARE - EB



WAVE - EB



FLORAL - EB




CURVE - EB



Schlüter®-SHELF-W






Schlüter-SHELF-W are rectangular shelves for wall surfaces. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the material brushed stainless steel. The trapezoid perforated fastening legs are integrated into the tile assembly during tile installation.



Schlüter®-SHELF-W-S1-EB

shelf, brushed stainless steel V2A

PURE design	SQUARE design	WAVE design	FLORAL design	CURVE Design
Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
SW S1 D7 EB	SW S1 D3 EB	SW S1 D10 EB	SW S1 D5 EB	SW S1 D6 EB





Schlüter-Systeme

Balcony and terrace assembly

The Schlüter balcony system is a coordinated product range of complete solutions for balcony and terrace assemblies with ceramic tiles and natural stone. System components such as stainless steel BARA profiles for balcony edges, as well as the height-adjusted drainage channels Schlüter-TROBA-LINE for installation with low connection heights to doors, complement the versatile product range for every installation situation.




Schlüter®-BARA-ESOT

Schlüter-BARA-ESOT is a skirting support profile made of stainless steel that is used in applications where no load-bearing substrate is available for the skirting tiles.


Schlüter®-BARA-ESOT

stainless steel V2A

H (mm)	L = 2.50 m Art. No.
60	ESOT 60
110	ESOT 110

**Schlüter®-TROBA-LINE-TL**

Schlüter-TROBA-LINE-TL is a stainless steel drainage channel that can be installed at low connection heights to doors on balconies and terraces to prevent water accumulation. It can also be used as an area drainage channel.

**Schlüter®-TROBA-LINE-TL**

stainless steel V2A, perforated channel

H (mm)	B = 75 mm				B = 110 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TL2 V2A 75/200	TL2 V2A 75/150	TL2 V2A 75/100	TL2 V2A 75/ 75	TL2 V2A 110/200	TL2 V2A 110/150	TL2 V2A 110/100	TL2 V2A 110/ 75
40	TL4 V2A 75/200	TL4 V2A 75/150	TL4 V2A 75/100	TL4 V2A 75/ 75	TL4 V2A 110/200	TL4 V2A 110/150	TL4 V2A 110/100	TL4 V2A 110/ 75

H (mm)	B = 160 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TL2 V2A 160/200	TL2 V2A 160/150	TL2 V2A 160/100	TL2 V2A 160/ 75
40	TL4 V2A 160/200	TL4 V2A 160/150	TL4 V2A 160/100	TL4 V2A 160/ 75

Schlüter®-TROBA-LINE-TLG

stainless steel V2A, closed channel


H (mm)	B = 75 mm				B = 110 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TLG2 V2A 75/200	TLG2 V2A 75/150	TLG2 V2A 75/100	TLG2 V2A 75/ 75	TLG2 V2A 110/200	TLG2 V2A 110/150	TLG2 V2A 110/100	TLG2 V2A 110/ 75
40	TLG4 V2A 75/200	TLG4 V2A 75/150	TLG4 V2A 75/100	TLG4 V2A 75/ 75	TLG4 V2A 110/200	TLG4 V2A 110/150	TLG4 V2A 110/100	TLG4 V2A 110/ 75

H (mm)	B = 160 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TLG2 V2A 160/200	TLG2 V2A 160/150	TLG2 V2A 160/100	TLG2 V2A 160/ 75
40	TLG4 V2A 160/200	TLG4 V2A 160/150	TLG4 V2A 160/100	TLG4 V2A 160/ 75



Schlüter®-TROBA-LINE-TL/H

Schlüter-TROBA-LINE-TL/H is a height adjustment for the stainless steel drainage channel TROBA-LINE-TL.




Schlüter®-TROBA-LINE-TL/H

stainless steel V2A, height adjustment

H (mm)	B = 75 mm	B = 110 mm	B = 160 mm
	L = 135 mm Art. No.	L = 135 mm Art. No.	L = 135 mm Art. No.
0-20	TL2 H 75	TL2 H 110	TL2 H 160
20-40	TL4 H 75	TL4 H 110	TL4 H 160

Schlüter®-TROBA-LINE-TL/V

Schlüter-TROBA-LINE-TL/V is a reinforcement for Schlüter-TROBA-LINE-TL and Schlüter-TROBA-LINE-TLG for greater load requirements, e.g. foot traffic or wheelchairs, for widths of 110 and 160 mm.




Schlüter®-TROBA-LINE-TL/V

stainless steel V2A, reinforcement for TL and TLG

H (mm)	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TL2 V / 200	TL2 V / 150	TL2 V / 100	TL2 V / 75
40	TL4 V / 200	TL4 V / 150	TL4 V / 100	TL4 V / 75

Schlüter®-TROBA-LINE-TLR-E

Schlüter-TROBA-LINE-TLR-E is a drainage channel with an upper drainage grate made of polished stainless steel. It can be installed at low connection heights to doors on balconies or terraces to prevent water accumulation. It can also be used as an area drainage channel with a higher load-bearing capacity.

**Schlüter®-TROBA-LINE-TLR-E**

stainless steel V2A, with grate, perforated channel

H (mm)	B = 110 mm				B = 160 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
20	TL2 R EP 110/200	TL2 R EP 110/150	TL2 R EP 110/100	TL2 R EP 110/ 75	TL2 R EP 160/200	TL2 R EP 160/150	TL2 R EP 160/100	TL2 R EP 160/ 75
40	TL4 R EP 110/200	TL4 R EP 110/150	TL4 R EP 110/100	TL4 R EP 110/ 75	TL4 R EP 160/200	TL4 R EP 160/150	TL4 R EP 160/100	TL4 R EP 160/ 75

Schlüter®-TROBA-LINE-TLGR-E

stainless steel V2A, with grate, closed channel

H (mm)	B = 110 mm				B = 160 mm			
	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.	L = 2.00 m Art. No.	L = 1.50 m Art. No.	L = 1.00 m Art. No.	L = 0.75 m Art. No.
40	TLG4 R EP 110/200	TLG4 R EP 110/150	TLG4 R EP 110/100	TLG4 R EP 110/ 75	TLG4 R EP 160/200	TLG4 R EP 160/150	TLG4 R EP 160/100	TLG4 R EP 160/ 75





Schlüter®-TROBA-LINE-TLK-E

Schlüter-TROBA-LINE-TLK-E is a stainless steel gravel-retaining angle that is used at the edge of coverings or load distribution layers.

Schlüter®-TROBA-LINE-TLK-E

stainless steel V2A

L (cm)	Art. No.
75	TLKE 4070 / 75
100	TLKE 4070 / 100





Schlüter®-KERDI-DRAIN-SP-E

Schlüter-KERDI-DRAIN-SP-E is a stainless steel spout for draining balconies and terraces that are enclosed by a parapet.

Schlüter®-KERDI-DRAIN-SP-E

stainless steel V2A, pipe diameter 45 mm

L (cm)	Art. No.
25	KD SPE 45/25
40	KD SPE 45/40




Schlüter®-BARA-RW

Schlüter-BARA-RW is an angular finishing profile for defining the exposed perimeters of balconies and terraces.

Schlüter®-BARA-RW-E

stainless steel V2A, edge bracket

L (cm)	L = 2.50 m Art. No.
15	RW 15 E
25	RW 25 E
30	RW 30 E
40	RW 40 E
55	RW 55 E
75	RW 75 E
95	RW 95 E
120	RW 120 E
150	RW 150 E



Accessories: Corners and connectors

Notes

Note on selecting materials

V2A (1.4301/AISI 304): Suitable for indoor and outdoor areas that are not subject to any particular chemical, climatic or saline exposure.

V4A (1.4404/AISI 316L): For areas at greater risk of corrosion, e.g. fresh water swimming pools, industrial sites and outdoor areas with constant moisture, high-salinity atmospheres or aggressive environmental influences.

Note on outdoor use

The suitability of a product for outdoor use does not depend solely on the quality of the stainless steel.

A number of other product-specific characteristics must also be taken into account. Further information can be found in the relevant product data sheet or please contact our Technical Department.

Care tips for stainless steel products



Stainless steel surfaces exposed to the environment or aggressive substances should be cleaned periodically using a mild household cleaner. Regular cleaning maintains the neat appearance of the stainless steel and reduces the risk of corrosion. All cleaning agents must be free of hydrochloric and hydrofluoric acid. Avoid contact with other metals, such as regular steel, to prevent extraneous rust. This also applies to the use of tools such as trowels or steel wool to remove mortar residue.

Do not use abrasive cleaning agents on the sensitive surfaces. The stainless steel cleaning polish Schlüter-CLEAN-CP is available if required.



Our recipe for warm feet!




Schlüter-BEKOTEC-THERM – the ceramic thermal comfort floor.

When the floor needs to be warm as well as look good, we recommend Schlüter-BEKOTEC-THERM. This ceramic thermal comfort floor combines ecologically sound heating technology with hygiene and comfort. The patented floor assembly, which combines a low assembly height with innovative heating and control technology, creates an energy- and cost-efficient, highly responsive thermal comfort floor with an especially low supply temperature. But that is not all – the quick and easy handling of the ceramic thermal comfort floor offers many benefits even during installation.

Important for all property renovators and refurbishers:

Using one of our control valves, the ceramic thermal comfort floor can also be integrated into the existing conventional heating circuit.



Ask for our BEKOTEC product range brochure.

KERDI makes it work!



No matter how you want your dream accessible bathroom to look, with Schlüter-KERDI you can quickly and safely create the necessary bonded waterproofing. And with the wide variety of tiles and natural stone on offer, there are no limits to your imagination when it comes to the design.

Request our Schlüter-KERDI brochure.



Learn more online

Would you like to know more about Schlüter-Systems?
The quickest way is to visit our website.

schlueter-systems.com



You can also follow us on Instagram, Facebook and YouTube.

