



Product Item Numbers

Mortar Bed Joint Profiles




4.4 Schluter®-DILEX-MOP

H = mm - in.	Item No.
35 - 1-3/8	MOP 35 G
50 - 2	MOP 50 G
65 - 2-5/8	MOP 65 G

Length supplied: 8' 2-1/2" — 2.5 m

Note: Available in grey only




MOP




4.3 Schluter®-DILEX-MP

H = mm - in.	Item No.
35 - 1-3/8	MP 35 <i>color*</i>

Length supplied: 8' 2-1/2" — 2.5 m



MP



MPV


4.3 Schluter®-DILEX-MPV

H = mm - in.	Item No.
15 - 9/16	MPV 15
25 - 1	MPV 25

*Color Codes

	HB Light beige		G Grey
	ZR Brick red		GS Black


To complete the item number,
add the *color* code (e.g., MP 35 **G**).



9.1 Schluter®-DILEX-DFP

H = mm - in.	Item No.
60 - 2-3/8	DFP 6/100
80 - 3-1/8	DFP 8/100
100 - 4	DFP 10/100


Length supplied: 3' 3" - 1 m





Surface Joint Profiles

Residential to Medium-Duty Commercial Applications



4.1 Schluter®-DILEX-EZ 6

H = mm - in.	Item No.
6 - 1/4	EZ color* 6

4.1 Schluter®-DILEX-EZ 9

H = mm - in.	Item No.
9 - 11/32	EZ color* 9


Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes



To complete the item number, add the **color** code (e.g., EZ **M/G** 6).

M/G = Brass inlay / grey
C/CG = Chrome inlay / yellow



4.7 Schluter®-DILEX-BWS



H = mm - in.	Item No.
4.5 - 3/16	BWS 45 color*
6 - 1/4	BWS 60 color*
8 - 5/16	BWS 80 color*
9 - 11/32	BWS 90 color*
10 - 3/8	BWS 100 color*
11 - 7/16	BWS 110 color*
12.5 - 1/2	BWS 125 color*

Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes



To complete the item number, add the **color** code (e.g., BWS 80 **G**).



4.23 Schluter®-DILEX-FCS

H = mm - in.	Item No.
9 - 11/32	FCS 90
10 - 3/8	FCS 100
11 - 7/16	FCS 110
12.5 - 1/2	FCS 125

Length supplied: 8' 2-1/2" — 2.5 m

4.23 Schluter®-DILEX-FIS


H = mm - in.	Item No.
31 - 100	FIS 300 + color*

Length supplied: 31 m - 100'

*Color Codes



To complete the item number, add the **color** code (e.g., FIS 300 **G**).



4.6 Schluter®-DILEX-BWB


H = mm - in.	Item No.
6 - 1/4	BWB 60 color*
8 - 5/16	BWB 80 color*
10 - 3/8	BWB 100 color*
12.5 - 1/2	BWB 125 color*
15 - 9/16	BWB 150 G (Grey only)
20 - 3/4	BWB 200 G (Grey only)

Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes



To complete the item number, add the **color** code (e.g., BWB 80 **G**).
BWB 60 is not available in sand pebble (SP)



4.18 Schluter®-DILEX-AKWS

H = mm - in.	Item No.
8 - 5/16	AKWS 80 color*
9 - 11/32	AKWS 90 color*
10 - 3/8	AKWS 100 color*
11 - 7/16	AKWS 110 color*
12.5 - 1/2	AKWS 125 color*
14 - 17/32	AKWS 140 color*
16 - 5/8	AKWS 160 color*
21 - 13/16	AKWS 210 color*

Length supplied: 8' 2-1/2" — 2.5 m


*Color Codes



To complete the item number, add the **color** code (e.g., AKWS 80 **G**).




Heavy-duty Commercial Applications




4.16 Schluter®-DILEX-EDP

H = mm - in.	Item No.
8 - 5/16	EDP 80
9 - 11/32	EDP 90
10 - 3/8	EDP 100
11 - 7/16	EDP 110
12.5 - 1/2	EDP 125
14 - 17/32	EDP 140
16 - 5/8	EDP 160
18.5 - 23/32	EDP 185
21 - 13/16	EDP 210
25 - 1	EDP 250
30 - 1-3/16	EDP 300


Length supplied: 8' 2-1/2" — 2.5 m



Aluminum



Stainless steel



4.8 Schluter®-DILEX-KSN

H = mm - in.	Item No.	
	Stainless steel 304 (1.4301 = V2A) (E)	Aluminum (A)
8 - 5/16	EKSN 80 <i>color*</i>	AKSN 80 <i>color*</i>
10 - 3/8	EKSN 100 <i>color*</i>	AKSN 100 <i>color*</i>
11 - 7/16	EKSN 110 <i>color*</i>	AKSN 110 <i>color*</i>
12.5 - 1/2	EKSN 125 <i>color*</i>	AKSN 125 <i>color*</i>
14 - 17/32	EKSN 140 <i>color*</i>	AKSN 140 <i>color*</i>
16 - 5/8	EKSN 160 <i>color*</i>	AKSN 160 <i>color*</i>
18.5 - 23/32	EKSN 185 <i>color*</i>	-
21 - 13/16	EKSN 210 <i>color*</i>	AKSN 210 <i>color*</i>
25 - 1	EKSN 250 <i>color*</i>	-
30 - 1-3/16	EKSN 300 <i>color*</i>	-


Length supplied: 8' 2-1/2" — 2.5 m

Accessories	Item No.
Rubber insert replacement	KSE / <i>color*</i>

*Color Codes

To complete the item number, add the *color* code (e.g., EKSN 160 **PG**).

Note: DILEX-KSN is also available with stainless steel 316 L (1.4404 = V4A) anchoring legs.



4.8 Schluter®-DILEX-EKSB



H = mm - in.	Item No.
	Stainless steel 304 (1.4301 = V2A) (E)
2.5 - 3/32	EKSB 25 <i>color*</i>
4.5 - 3/16	EKSB 45 <i>color*</i>
6 - 1/4	EKSB 60 <i>color*</i>

Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes

To complete the item number, add the *color* code (e.g., EKSB 60 **G**).


Note: DILEX-EKSB is also available with stainless steel 316 L (1.4404 = V4A) anchoring legs.



4.20 Schluter®-DILEX-BT

H = mm - in.		Item No.
		Satin anodized aluminum (AE)
8	- 5/16	AEBT 80
10	- 3/8	AEBT 100
12.5	- 1/2	AEBT 125
15	- 9/16	AEBT 150
17.5	- 11/16	AEBT 175
20	- 3/4	AEBT 200


Length supplied: 8' 2-1/2" — 2.5 m



4.20 Schluter®-DILEX-BTO

H = mm - in.		Item No.
		Satin anodized aluminum (AE)
8	- 5/16	AEBT 80 / O 125
10	- 3/8	AEBT 100 / O 125
12.5	- 1/2	AEBT 125 / O 125
15	- 9/16	AEBT 150 / O 125
17.5	- 11/16	AEBT 175 / O 125
20	- 3/4	AEBT 200 / O 125


Length supplied: 8' 2-1/2" — 2.5 m



4.20 Schluter®-DILEX-BTS

H = mm - po.		Item No.
		Satin anodized aluminum (AE)
10	- 3/8	AEBTS 100


Length supplied: 8' 2-1/2" — 2.5 m



Schluter®-DILEX-BT/OT

mm - in.		Item No.
		Satin anodized aluminum (AE)
12.5	- 1/2	AEBTO 125


Length supplied: 8' 2-1/2" — 2.5 m



Schluter®-DILEX-BT/-MT

mm - in.		Item No.
		Satin anodized aluminum (AE)
30	- 1-3/16	AEBT 30 MT

Length supplied: 8' 2-1/2" — 2.5 m




4.20 Schluter®-DILEX-BT/VT

H = mm - in.		Item No.
		Satin anodized aluminum (AE)
8	- 5/16	AEVT 80
10	- 3/8	AEVT 100
12.5	- 1/2	AEVT 125
15	- 9/16	AEVT 150
17.5	- 11/16	AEVT 175
20	- 3/4	AEVT 200

Length supplied: 8' 2-1/2" — 2.5 m

Perimeter Joint Profiles



4.10 Schluter®-DILEX-AS



H = mm - in.	Item No.
9 - 11/32	AS 20 BW

Color Code



Note: Suitable for tiles 3/16" to 3/8" (4 - 10 mm) thick.

Accessories	Item No.
End cap (right)	EKR/AS 20 BW
End cap (left)	EKL/AS 20 BW
Inside corner	I/AS 20 BW
2 inside corners + 1 right end cap + 1 left end cap	EKI/AS 20 BW



4.9 Schluter®-DILEX-BWA


H = mm - in.	Item No.
4.5 - 3/16	BWA 45 <i>color*</i>
6 - 1/4	BWA 60 <i>color*</i>
8 - 5/16	BWA 80 <i>color*</i>
10 - 3/8	BWA 100 <i>color*</i>
12.5 - 1/2	BWA 125 <i>color*</i>

Length supplied: 8' 2-1/2" — 2.5 m

*Color Codes



To complete the item number, add the *color* code (e.g., BWA 80 *G*). BWA 45 is not available in sand pebble (SP).



4.9 Schluter®-DILEX-KSA

H = mm - in.	Item No.		
	Stainless steel 304 (1.4301 = V2A)	Stainless steel 316 L (1.4404 = V4A)	Aluminum
	(E)	(EV4A)	(A)
8 - 5/16	EKSA 80 <i>color*</i>	EKSA 80 <i>color*</i> /V4A	AKSA 80 <i>color*</i>
10 - 3/8	EKSA 100 <i>color*</i>	EKSA 100 <i>color*</i> /V4A	AKSA 100 <i>color*</i>
11 - 7/16	EKSA 110 <i>color*</i>	-	AKSA 110 <i>color*</i>
12.5 - 1/2	EKSA 125 <i>color*</i>	EKSA 125 <i>color*</i> /V4A	AKSA 125 <i>color*</i>
14 - 17/32	EKSA 140 <i>color*</i>	EKSA 140 <i>color*</i> /V4A	AKSA 140 <i>color*</i>
16 - 5/8	EKSA 160 <i>color*</i>	EKSA 160 <i>color*</i> /V4A	-
18.5 - 23/32	EKSA 185 <i>color*</i>	-	-
21 - 13/16	EKSA 210 <i>color*</i>	-	-
25 - 1	EKSA 250 <i>color*</i>	-	-
30 - 1-3/16	EKSA 300 <i>color*</i>	-	-

Length supplied: 8' 2-1/2" — 2.5 m

Accessories	Item No.
Rubber insert replacement	KSAE/ <i>color*</i>

*Color Codes



To complete the item number, add the *color* code (e.g., EKSA 100 *HB*).