



Product Item Numbers


8.2 Schluter®-KERDI-DRAIN



4" Grate Options

Tileable Covering Support

Anodized Aluminum



TILE (ECS)
Patent pending



CONTOUR

Available in the following colors and finishes:

Brushed
Nickel
(ATGB)

Brushed
Copper
(AKGB)

Brushed
Brass
(AMGB)

Stainless Steel



CLASSIC

Available in the following colors and finishes:

Stainless
Steel
(E)

Nickel
(ET)

Chrome
(EP)

Vintage Gold
(EVG)

Oil-rubbed
Bronze
(EOB)

Classic Gold
(ECG)



PURE



CURVE



FLORAL

Available in the following colors and finishes:

Brushed
Stainless Steel
(EB)

Brushed
Nickel
(EBT)

Brushed
Vintage Gold
(EBVG)

Brushed
Classic Gold
(EBCG)

Matte White
(MBW)

Ivory
(TSI)

Greige
(TSBG)

Cream
(TSC)

Bronze
(TSOB)

Stone Grey
(TSSG)

Pewter
(TSG)

Dark
Anthracite
(TSDA)

Matte Black
(MGS)

6" Grate Options

Stainless Steel

Stainless Steel Cover for Cleanout Applications



**CLASSIC
(6E)**



**CLASSIC
ROUND
(6E)**





(6CE)

Flange Options

ABS - 2" or 3" Outlet

PVC - 2" or 3" Outlet





Stainless Steel - 2" or 3"
No-hub OutletStainless Steel - 2"
Threaded Outlet

Note: Product listings and certifications can be referenced on the last page of this document.




Schluter®-KERDI-DRAIN

ABS or PVC FLANGE — 2" or 3" OUTLET


2" (50 mm) drain outlet		3" (75 mm) drain outlet	
Material	Item No.	Material	Item No.
 ABS	KD2 FLK ABS	 ABS	KD3 FLK ABS
 PVC	KD2 FLK PVC	 PVC	KD3 FLK PVC

Additional components included

**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing valve seal
(4-1/2" - 114 mm)

Flange measurements

ABS or PVC

		2" (50 mm) drain outlet	3" (75 mm) drain outlet
	A	11-13/16" - 300 mm	11-13/16" - 300 mm
	B	4-17/32" - 115.2 mm	4-17/32" - 115.2 mm
	C	2-45/64" - 68.6 mm	3-15/16" - 100 mm
	D	2-3/8" - 60.5 mm	3-1/2" - 88.8 mm
	E	3-15/16" - 100 mm	3-15/16" - 100 mm
	F	1-39/64" - 40.6 mm	2" - 50.8 mm
	G	7/8" - 22.5 mm	1-1/2" - 38.1 mm






When using a flange with 3" outlet, a 6" grate is recommended.




Schluter®-KERDI-DRAIN

STAINLESS STEEL FLANGE — 2" or 3" OUTLET

2" (50 mm) drain outlet	
Material	Item No.
 No-hub	KD2 FLK E
 Threaded	KD2 FLK ETH

3" (75 mm) drain outlet	
Material	Item No.
 No-hub	KD3 FLK E



Additional components included					
	4x Inside corners		2x Outside corners		1x Pipe seal (3/4" - 20 mm)
					1x Mixing valve seal (4-1/2" - 114 mm)
					1x KERDI-FIX sealing and bonding compound (3.38 fl oz – 100 ml)


Flange measurements			
Stainless steel			
		2" (50 mm) no-hub outlet	3" (75 mm) no-hub outlet
	A	9-27/32" - 250 mm	9-27/32" - 250 mm
	B	4-1/2" - 115.4 mm	4-1/2" - 114 mm
	C	2-13/32" - 61.3 mm	3-7/16" - 87.4 mm
	D	2-13/32" - 60.6 mm	3-5/16" - 84.2 mm
	E	3-11/32" - 85 mm	3-7/16" - 87.4 mm
	F	53/64" - 21 mm	1-5/32" - 29.4 mm




When using a flange with 3" outlet, a 6" grate is recommended.

**Schluter®-KERDI-DRAIN-H****ABS or PVC FLANGE — 2" OUTLET HORIZONTAL****2" (50 mm) drain outlet**


Material	Item No.
 ABS	KDH2 FLK ABS
 PVC	KDH2 FLK PVC

Additional components included**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing valve seal
(4-1/2" - 114 mm)**Flange measurements****ABS or PVC**

	2" (50 mm) horizontal drain outlet	
	A	11-13/16" - 300 mm
	B	4-21/32" - 118.3 mm
	C	2-47/64" - 69.5 mm
	D	2-3/8" - 60.5 mm
	E	3-3/8" - 85.7 mm
	F	1-1/16" - 27 mm

Schluter®-KERDI-SHOWER-CB

Schluter®-KERDI-SHOWER-CB is a height compensation board made of lightweight expanded polystyrene used to accommodate the drain body and waste pipe height, when installing the Schluter®-KERDI-DRAIN-H in conjunction with the Schluter®-KERDI-SHOWER -T/TS/TT shower trays. The compensation board can easily be cut to size to fit around the drain and waste pipe, and multiple boards can be used to fit the size and shape of the shower.

**Schluter®-KERDI-SHOWER-CB****Compensation board**





Item No.	Dimensions
KSCB 90 610 1220	122 cm x 61 cm x 8.9 cm (48" x 24" x 3-1/2")





Schluter®-KERDI-DRAIN-A


ADAPTOR KIT — 5-1/2" or 7-1/2" ADAPTOR RING

Schluter®-KERDI-DRAIN-A ADAPTOR KITS are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using Schluter®-KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and Schluter®-KERDI-SHOWER-T/-TS/-TT shower tray applications.

5-1/2" (139.7 mm) adaptor ring		7-1/2" (191 mm) adaptor ring	
Flange and ring	Item No.	Flange and ring	Item No.
 5-1/2"	KDAM5 FLK ABS	 7-1/2"	KDA7 FLK ABS
 Also included: Height adjustment collar for KERDI-DRAIN grate		 Also included: Lateral adjustment ring for KERDI-DRAIN grate	

Additional components included						
 4x Inside corners	 2x Outside corners	 1x Pipe seal (3/4" - 20 mm)	 1x Mixing valve seal (4-1/2" - 114 mm)	 1x KERDI-FIX sealing and bonding compound (3.38 fl oz – 100 ml)		

Flange and adaptor ring measurements	
	5-1/2"
	A 11-13/16" - 300 mm
	B 2-5/16" - 58.7 mm
	C 2-17/32" - 64.1 mm
	D 5-1/2" - 139.7 mm
	E 2-11/16" - 68.2 mm
	F 1" - 25.2 mm
	G 2-9/32" - 57.8 mm

Flange and adaptor ring measurements	
	7-1/2"
	A 11-13/16" - 300 mm
	B 4-13/32" - 111.8 mm
	C 4-11/16" - 118.9 mm
	D 7-1/2" - 191 mm
	E 5-7/64" - 130 mm
	F 3-1/16" - 77.8 mm
	G 3-41/64" - 92.4 mm



The 6" round/square grates and clean out cover are not compatible with the 5-1/2" ring flange.



Schluter®-KERDI-DRAIN-STYLE

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

Stainless Steel

PURE	
Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D8
Brushed nickel (EBT)	KDIF4 GRK EBT D8
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D8
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D8

U.S. Patent No. D831,795




CURVE	
Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D6
Brushed nickel (EBT)	KDIF4 GRK EBT D6
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D6
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D6




U.S. Patent No. D831,171



FLORAL	
Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D5
Brushed nickel (EBT)	KDIF4 GRK EBT D5
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D5
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D5

U.S. Patent No. D831,172



Contents			
	1x Grate and frame		1x Height adjustment collar
			1x Lateral adjustment ring



Schluter®-KERDI-DRAIN-STYLE


GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

TRENDLINE

PURE	
Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D8
Ivory (TSI)	KDIF4 GRK TSI D8
Greige (TSBG)	KDIF4 GRK TSBG D8
Cream (TSC)	KDIF4 GRK TSC D8
Bronze (TSOB)	KDIF4 GRK TSOB D8
Stone grey (TSSG)	KDIF4 GRK TSSG D8
Pewter (TSG)	KDIF4 GRK TSG D8
Dark anthracite (TSDA)	KDIF4 GRK TSDA D8
Matte black (MGS)	KDIF4 GRK MGS D8

U.S. Patent No. D831,795




CURVE	
Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D6
Ivory (TSI)	KDIF4 GRK TSI D6
Greige (TSBG)	KDIF4 GRK TSBG D6
Cream (TSC)	KDIF4 GRK TSC D6
Bronze (TSOB)	KDIF4 GRK TSOB D6
Stone grey (TSSG)	KDIF4 GRK TSSG D6
Pewter (TSG)	KDIF4 GRK TSG D6
Dark anthracite (TSDA)	KDIF4 GRK TSDA D6
Matte black (MGS)	KDIF4 GRK MGS D6

U.S. Patent No. D831,171



FLORAL	
Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D5
Ivory (TSI)	KDIF4 GRK TSI D5
Greige (TSBG)	KDIF4 GRK TSBG D5
Cream (TSC)	KDIF4 GRK TSC D5
Bronze (TSOB)	KDIF4 GRK TSOB D5
Stone grey (TSSG)	KDIF4 GRK TSSG D5
Pewter (TSG)	KDIF4 GRK TSG D5
Dark anthracite (TSDA)	KDIF4 GRK TSDA D5
Matte black (MGS)	KDIF4 GRK MGS D5

U.S. Patent No. D831,172



Contents

**1x**
Grate and frame**1x**
Height adjustment collar**1x**
Lateral adjustment ring



Schluter®-KERDI-DRAIN

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate


Stainless steel - CLASSIC

CLASSIC	
Grate finish	Item No.
Stainless steel (E)	KD4 GRK E
Chrome (EP)	KD4 GRK EP
Oil-rubbed bronze (EOB)	KD4 GRK EOB
Nickel (ET)	KD4 GRK ET
Vintage gold (EVG)	KD4 GRK EVG
Classic gold (ECG)	KD4 GRK ECG



Anodized aluminum - CONTOUR


CONTOUR	
Grate finish	Item No.
Brushed nickel (ATGB)	KD4 GRK ATGB
Brushed copper (AKGB)	KD4 GRK AKGB
Brushed brass (AMGB)	KD4 GRK AMGB




Contents		
	1x Grate and frame	
		1x Height adjustment collar
		
		1x Lateral adjustment ring

**Schluter®-KERDI-DRAIN****GRATES FOR USE WITH FLANGES WITH 2" OUTLET****4" (100 mm) Grate****TILE**


TILE	
Grate finish	Item No.
TILE	KD4 GRK ECS



The tileable grate is not suitable for use with the KERDI-DRAIN-F flange and the KERDI-DRAIN-A flange with 5-1/4" (133.4 mm) adaptor ring.

Contents

1x
Tileable
covering
support



1x
Spacer



1x
Lateral
adjustment
ring

GRATES FOR USE WITH FLANGES WITH 2" or 3" OUTLET**6" (150 mm) Grate****Stainless steel - CLASSIC**

CLASSIC SQUARE	
Grate finish	Item No.
Stainless steel (E)	KD6 GRK E



CLASSIC ROUND	
Grate finish	Item No.
Stainless steel (E)	KD6 GRK RE

**Contents**

1x
Grate and frame
with integrated height
adjustment collar



1x
Lateral
adjustment ring



The 6" (150 mm) grates are not suitable for use with the KERDI-DRAIN-F flange and the KERDI-DRAIN-A flange with 5-1/4" (133.4 mm) adaptor ring.





Schluter®-KERDI-DRAIN

DRAIN KITS — ABS or PVC FLANGE - 2" OUTLET - STAINLESS STEEL GRATE

Schluter®-KERDI-DRAIN		
	ABS - 2" (50 mm)	PVC - 2" (50 mm)
4" (100 mm) square grate		
Stainless steel	KD2/ABS/E	KD2/PVC/E


Contents

**1x**
Flange**1x**
Grate and
frame**1x**
Height adjustment
collar**1x**
Lateral
adjustment
ring**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing valve seal
(4-1/2" - 114 mm)

ADAPTOR KIT — 5-1/4" ADAPTOR RING - 4" STAINLESS STEEL GRATE

5-1/4" (133.4 mm) adaptor ring	
	ABS
4" (100 mm) square grate	
Stainless steel	KDAR/ABS/E



Contents



**1x**
Flange**1x**
Grate and
frame**1x**
Height
adjustment
collar**1x**
Adaptor
ring**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing
valve seal
(4-1/2" - 114 mm)**1x**
KERDI-FIX
sealing and bonding compound
(3.38 fl oz – 100 ml)





Schluter®-KERDI-DRAIN

ABS or PVC FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS



2" (50 mm) drain outlet	
Material	Item No.
 ABS	KD2/ABS/FL
 PVC	KD2/PVC/FL


3" (75 mm) drain outlet	
Material	Item No.
 ABS	KD3/ABS/FL
 PVC	KD3/PVC/FL


ABS or PVC **HORIZONTAL** FLANGE — 2" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet	
Material	Item No.
 ABS	KDH2/ABS/FL
 PVC	KDH2/PVC/FL

STAINLESS STEEL FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet	
Material	Item No.
 No-hub	KD2/E/FL
 Threaded	KD2/ETH/FL

3" (75 mm) drain outlet	
Material	Item No.
 No-hub	KD3/E/FL

Also included with stainless steel flanges	
	1x KERDI-FIX sealing and bonding compound (3.38 fl oz – 100 ml)





When using a flange with 3" outlet, a 6" grate is recommended.




Schluter®-KERDI-DRAIN

10 PACKS — ABS OR PVC FLANGE - 2" OUTLET


2" (50 mm) drain outlet	
Material	Item No.
 ABS	KD2 FLK ABS 10
 PVC	KD2 FLK PVC 10

Note: 10 packs are packaged in bulk, not individually boxed.

Additional components included



10 PACKS — ABS FLANGE - 5-1/4" ADAPTOR RING


5-1/4" (133.4 mm) adaptor ring	
Flange and ring	Item No.
 5-1/4" Also included: Height adjustment collar for KERDI-DRAIN grate	KDA5 FLK ABS 10

Note: 10 packs are packaged in bulk, not individually boxed.



The tileable grate and the 6" round/square grates are **NOT** compatible with the 5-1/4" ring flange.

Additional components included



10 PACKS — 4" GRATE - STAINLESS STEEL

Stainless steel - CLASSIC



Stainless steel
Item No.
KD4 GRK E 10

Note: 10 packs are packaged in bulk, not individually boxed.

Contents





Schluter®-KERDI-DRAIN

6" SQUARE CLEAN OUT COVER

The **Schluter®-KERDI-DRAIN Clean Out Cover** is a 6" stainless steel cover available for installations where the KERDI-DRAIN bonding flange is to be used in a cleanout application.



Clean out cover 6"	
Item No.	Finish
KD-GR6C-E	Stainless steel

TAMPER PROOF SCREWS

Schluter®-KERDI-DRAIN Tamper Proof Screws are designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.



Tamper proof screw and driver bit	
Item No.	Description
KD/TPSCRW	Tamper proof screw
KD/TPWRCH	Driver bit

STRAINER

The **Schluter®-KERDI-DRAIN Strainer** is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

Note: The KERDI-DRAIN strainer is only suitable for use with flanges with 2" (50 mm) vertical outlets (ABS, PVC, and stainless steel with no-hub or threaded outlet).



Strainer for KERDI-DRAIN	
Item No.	Description
KD-STR	Strainer



Product Listings and Certifications

Schluter®-KERDI-DRAIN - Listings and Certifications								
Grates Flanges	Grate - 4" (100 mm)					Grate - 6" (150 mm)		
	CLASSIC Stainless steel (All finishes except EOB)	CLASSIC Stainless steel EOB	CONTOUR Anodized aluminum (All finishes)	TILE	STYLE PURE, CURVE and FLORAL Stainless steel (All finishes)	Stainless steel		
						Square 6E	Round 6RE	Cover 6CE
2" (50 mm) PVC	1	-	1	1	1	1	1	2
2" (50 mm) ABS	1	-	1	1	1	1	1	2
2" (50 mm) PVC Horizontal	1	-	1	1	1	1	1	2
2" (50 mm) ABS Horizontal	1	-	1	1	1	1	1	2
2" (50 mm) Stainless steel	1	-	1	1	1	1	1	2
2" (50 mm) Stainless steel Threaded	1	-	1	1	1	1	1	2
3" (75 mm) PVC	-	-	-	-	-	1	1	2
3" (75 mm) ABS	-	-	-	-	-	1	1	2
3" (75 mm) Stainless steel	-	-	-	-	-	1	1	2
5-1/4" (133.4 mm) Adaptor	-	-	-	-	-	-	-	-
7-1/2" (191 mm) Adaptor	-	-	-	-	-	-	-	-

Various configurations of KERDI-DRAIN are listed by ICC-ES (Report No. PMG-1204), UPC® and CSA as shown in the table above.

1 - Listed by ICC-ES (Report No. PMG-1204), UPC® and CSA.

2 - Listed by CSA

For copies of these documents, please contact Schluter®-Systems at 800-472-4588 or by email at info@schluter.com.

Links to the documents can also be accessed at Schluter.com.